



Office of  
**Executive Engineer B&R Division HP.PWD. Joginder Nagar**  
 Himachal Pradesh Public Works Department, Mandi-175015  
 Phone & Fax No. 01908-222033 E-Mail:- ee-jog-hp@nic.in  
**"NOTICE INVITING TENDER"**

Sealed item rate tender for the following works are hereby invited by the Executive Engineer, B&R Division HP.PWD., Joginder Nagar District Mandi (H.P) from the eligible contractors of the appropriate class registered in HP.PWD. as per revised enlistment rules so as to reach in the office of under signed on **04-03-2022 up to 11:30 A.M.** and will be opened on the same day at **(12:00 noon)** in the presence of intending contractors. The tender application will be received in this office against cash payment on **02-03-2022 up to 10.00 A.M. to 12:30 P.M.** and tender form can be had from this office on **03-03-2022 from 2.00 P.M. to 5.00 Pm.** The earnest money as shown against each in the shape of F.D.R of any bank in Himachal Pradesh duly pledged in the name of the under signed must accompany with each tender. The tender form will be issued to contractor giving proof of enlistment, GST, work done certificate, proof of machinery etc. Conditional tender and tender received without earnest money will be out rightly rejected. The offer of the tender shall be kept open for 90 days. The Executive Engineer reserves the right to reject any or all the tenders without assigning any reasons.

The draft NIT and other specifications and conditions of the tender can be seen by the contractors in the office of the under signed on any working day during the office hours.

Sr. No.	Name of work	Amount put to tender/ Est. cost	Earnest money	Cost of Tender Form	Eligible Class of Contractor	Time
1	Repair and restoration of link road to village Jol (Sub Head:- Construction of unlined drain and supplying and stacking of GSB, berm dressing)	₹ 81,592/-	₹ 1,600/-	₹ 350/-	Class "D"	One month
2	Repair and restoration of Chir Bhayotu road(Sub Head:- Construction of unlined drain and supplying and stacking of GSB, berm dressing)	₹ 76,055/-	₹ 1,500/-	₹ 350/-	Class "D"	One month
3	Repair and restoration of link road to village Patrain (Sub Head:- Construction of unlined drain and supplying and stacking of GSB, berm dressing)	₹ 76,055/-	₹ 1,500/-	₹ 350/-	Class "D"	One month
4	Repair and restoration of link road Draman to Narohli (Sub Head:- Construction of unlined drain and supplying and maintenance of earthen shoulder)	₹ 1,49,639/-	₹ 3,000/-	₹ 350/-	Class "D"	Three months
5	Repair and restoration of link road to village Dak to Siharal (Sub Head:- Supplying and stacking of GSB in Km. 0/500 to 0/793)	₹ 1,66,664/-	₹ 3,300/-	₹ 350/-	Class "D"	Three months
6	A/R & M/O Jatehar Golwan road Km. 0/0 to 11/400 (Sub Head:- Construction of breast wall at Km. 0/390 to 0/400).	₹ 3,29,691/-	₹ 6,600/-	₹ 350/-	Class "D"	Three months
7	Restoration of rain damages on Pihar Bedhu Ropu road (Sub Head:- Construction of breast wall at Km. 0/320 to 0/335	₹ 2,96,800/-	₹ 5,900/-	₹ 350/-	Class "D"	Three months

**Certified that tender of above works are being called of emergent nature in exigency of public interest**

**Terms and conditions:-**

1. The contractor should produce a copy of enlistment / renewal letter at time of application.
2. Executive Engineer reserves the right to reject/cancel any or all the tenders without assigning any reasons.
3. The contractor/Firm shall have his registration and GST No, the copy of same be attached with the application.
4. The earnest money shall be deposited duly pledged in favour of Executive Engineer B&R Division HPPWD., Joginder Nagar & cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.
5. No tender form will be issued to the contractor without producing the work done certificate from the Executive Engineer concerned.
6. The contractor/firms are requested to insert the rate of each item in words as well as in figures failing which XEN reserves the right to accept/reject any tender without assigning any reason at any stage.
7. The tender shall be issued to those contractors who have not more than two works in hand.

Executive Engineer,  
 B&R Division HP PWD.,  
 Joginder Nagar.

District Mandi (HP) on behalf of  
 Governor of Himachal Pradesh  
 Ph. 01908-222033

21-2-2022

No. PW-JND-B&R-EA-I/NIT/Press/2021-22- 25/8/17 - 26

Dated:-


1. Copy to the F.C. Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
2. The Engineer-in-Chief, HPPWD, Shimla.
3. The Chief Engineer (MZ), HPPWD, Mandi.
4. The Superintending Engineer, Joginder Nagar Circle HPPWD, Joginder Nagar.
5. All the Assistant Engineer working under this Division.
6. Drawing Branch in this office.
7. Notice Board.
8. The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer,  
 B&R Division HP PWD.,  
 Joginder Nagar.

**SCHEDULE OF QUANTITY**

**Name of Work : Repair and Restoration of Link Road to Village Jol  
(SH: Construction of Unlined drain and Supplying and Stacking of GSB, Berm Dressing)**

Sr. No	Description of work	No. or Qty.	Unit	Estimate Cost: Earnest Money: Time Limit:		AMOUNT Rs. P
				Rate	Figures Words	
1	Construction of unlined surface drains of average cross-sectional area 0.40 sqm by mechanical means in soil to specified lines, grades, levels, and dimensions. Excavated material to be used in embankment with a lift upto 3m and lead of 50m (average lead 25m) as per technical specification clause 307 including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .	77.40	Per Running Meter			
2	Maintenance of earthen shoulder making uploss of materials /irregularities on shoulder to the desin level by adding fresh approved selected soil as per technical specification clause 1903 including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .	64.50	Per Square Meter			
3	Supply and stacking of of granular sub-base by well graded material, for spreading in uniform layers from approved sources conforming to the physical requirement, including royalties, fees, rents, collection, transportation, stacking and testing and measured in cubic metre as per technical specification and as directed by the Engineer-In-Charge within all leads and lifts complete in all respects including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .	47.25	Per cubic Meter			
	<b>Total</b>					


  
 Executive Engineer  
 B&R Division HP.PWD,  
 Jogninder Nagar

**SCHEDULE OF QUANTITY**

(2)

**Name of Work : Repair and Restoration of Chir Bhayotu Road  
(SH: Construction of Unlined drain and Supplying and Stacking of GSB, Berm Dressing)**

<b>Sr. No</b>	<b>Description of work</b>	<b>No. or Qty.</b>	<b>Unit</b>	<b>Estimate Cost: Earnest Money: Time Limit :</b>		<b>AMOUNT Rs. P</b>
				<b>Rate</b>	<b>Words</b>	
1	Construction of unlined surface drains of average cross-sectional area 0.40 sqm by mechanical means in soil to specified lines, grades, levels, and dimensions. Excavated material to be used in embankment with a lift upto 3m and lead of 50m (average lead 25m) as per technical specification clause 307 including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .	90.00	Per Running Meter			
2	Maintenance of earthen shoulder making uploss of materials /irregularities on shoulder to the desin level by adding firresh approved selected soil as per technical specification clause 1903 including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .	52.50	Per Square Meter			
3	Supply and stacking of granular sub-base by well graded material, for spreading in uniform layers from approved sources conforming to the physical requirement, including royalties, fees, rents, collection, transportation, stacking and testing and measured in cubic metre as per techinical specification and as directed by the Engineer-In-Charge within all leads and lifts complete in all respects including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .	43.75	Per cubic Meter			
	<b>Total</b>					

  
 Executive Engineer  
 B & R Division HP.PWD,  
 Jalandhar Nagar

**SCHEDULE OF QUANTITY**

**Name of Work : Repair and Restoration to Village Patrain  
(SH: Construction of Unlined drain and Supplying and Stacking of GSB in km 0/00 to 0/250)**

<b>Sr. No</b>	<b>Description of work</b>	<b>No. or Qty.</b>	<b>Unit</b>	<b>Estimate Cost: Earnest Money:</b>		<b>Time Limit :</b> <b>One Month</b>	<b>AMOUNT Rs. P</b>
				<b>Rate Figures</b>	<b>Words</b>		
1	Construction of unlined surface drains of average cross-sectional area 0.40 sqm by mechanical means in soil to specified lines, grades, levels, and dimensions. Excavated material to be used in embankment with a lift upto 3m and lead of 50m (average lead 25m) as per technical specification clause 307 including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .	78.75	Per Running Meter	112.50	Per cubic Meter		76,055 1,500
2	Supply and stacking of of granular sub-base by well graded material, for spreading in uniform layers from approved sources conforming to the physical requirement, including royalties, fees, rents, collection, transportation, stacking and testing and measured in cubic metre as per technical specification and as directed by the Engineer-In-Charge within all leads and lifts complete in all respects including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .						
	<b>Total</b>						

(3)

Executive Engineer  
B & R Division HP.PWD,  
Joginder Nagar

### SCHEDULE OF QUANTITY

**Name of Work : Repair and Restoration of Link Road Draman to Naroli  
(SH: Construction of Unlined drain and Maintenance of Earthen Shoulder)**

Sr. No	Description of work			Estimate Cost: Earnest Money:		Time Limit : Three Mont	AMOUNT Rs. P
		No. or Qty.	Unit	Rate Figures	Words		
1	Restoration of rain cuts with soil morum gravel or a mixture of these cleaning the loose soil benching for 300mm width laying fresh materials in layer not exceeding 250mm to restore the original alingment level and slopes as drawing and technical specification 1902 mechanical means)within all leads, lifts carriage of material and other incidentals.	4.50	Per cubic metre				
2	Maintenance of earthen shoulder making uploss of materials /irregularities on shoulder to the desin level by adding firsh approved selected soil as per technical specification clause 1903 including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .	1582.00	Per Square Meter				
3	Removal of land slide in hilly area in oridinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material as per technical specification clause 302.3.5 and 1611. within all leads, lifts carriage of material and other incidentials.	320.00	Per cubic metre				
4	Construction of unlined surface drains of average cross-sectional area 0.40 sqm by mechanical means in soil to specified lines, grades, levels, and dimensions. Excavated material to be used in embankment with a lift upto 3m and lead of 50m (average lead 25m) as per technical specification clause 307 including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .	1700.00	Per Running Meter				
	<b>Total</b>						


4

Executive Engineer  
B & R Division HP.PWD,  
Joginder Nagar

**SCHEDULE OF QUANTITY**

Name of Work : Repair and Restoration of Link Road to Village Dak Siharal  
(SH: Supplying and Stacking of GSB in km 0/500 to 0/793 )

Sr. No	Description of work	Estimate Cost:		Earnest Money: Three Month Rs. P	
		No. or Qty.	Unit		
1	Supply and stacking of of granular sub-base by well graded material, for spreading in uniform layers from approved sources conforming to the physical requirement, including royalties, fees, rents, collection, transportation, stacking and testing and measured in cubic metre as per technical specification and as directed by the Engineer-In-Charge within all leads and lifts complete in all respects including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .	102.55	Per cubic Meter	Rate Figures	Words
	Total				

  
 Executive Engineer  
 B & R Division HP.PWD,  
 Joginder Nagar

**DNIT/DRAFT SCHEDULE OF QUANTITY**

(6)

E. No 444.

4/5

**Name of Work :A/R & M/O to Jatehar to Golwan Road km 0/00 to 11/400  
(SH: Construction of Breast wall at km 0/390 to 0/400 )**


Sr. No	Description of work	Estimate Cost:		Time Limit :	AMOUNT Rs. P
		No. or Qty.	Unit		
1	<p>Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 &amp; 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.</p>	45.00	Per cubic metre	434.35 Rupees Four Hundred Thirty Four And Paise Thirty Five Only	19,546. 19,546.
2	<p>Providing and laying cement concrete 1:5:10 (one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size ) plums and curing complete including the cost of form work in <b>Retaining walls Breast walls</b>, in or under water complete including pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 &amp; 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .</p>	58.50	Per cubic metre	5,127.90 Rupees Five Thousand One Hundred Twenty Seven And Paise Ninety Only	2,99,982.00

**SCHEDULE OF QUANTITY**

Name of Work :A/R & M/O to Jatehar to Golwan Road km 0/00 to 11/400  
(SH: Construction of Breast wall at km 0/390 to 0/400 )

Sr. No.	Description of work	Estimate Cost:		Earnest Money:		AMOUNT Rs. P
		No. or Qty.	Unit	Rate	Time Limit : Three Mon	
1.	<p>Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 &amp; 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .</p>	45.00	Per cubic metre	"		
2	<p>Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty milimeters) nominal size ) plums and curing complete including the cost of form work in <b>Retaining walls Breast walls</b>, in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 &amp; 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .</p>	58.50	Per cubic metre	"		

Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. F.
			Figures	Words	
3 Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .	16.00	Each			
4 Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals.	6.00	Per cubic metre			
		Total			

  
 Executive Engineer  
 B & R Division HP.PWD,  
 Joginder Nagar


**SCHEDULE OF QUANTITY**

(7)

**Name of Work : Restoration of Rain Damages on Pihar Bedhlu Roparu Road  
(SH: Construction of Breast wall at km 0/320 to 0/335 )**

Sr. No	Description of work	No. or Qty.	Unit	Estimate Cost:	
				Rate	Time Limit : Three Mont
				AMOUNT	
				Rs.	P
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock ( where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost.	23.40	Per cubic metre		
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .	19.95	Per cubic metre		

Description of work	No. or Qty.	Unit,	Rate
		Figures	Words
Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty milimeters) nominal size ) plums and curing complete including the cost of form work in Retaining walls Breast walls, in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .	54.66	Per cubic metre	
3 Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .	20.00	Each	
Total			

  
 Executive Engineer  
 B & R Division H.P.P.W.I  
 Jalandhar