



Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

"NOTICE INVITING TENDER"

Sealed item rate tenders on forms 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before **18.05.2023** up to **11.00 A.M** and will be opened on the same day at **11.30 A.M** in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on **17.05.2023** up to **4.00 P.M** and the application for issue of tender forms shall be received on **16.05.2023** up to **12.00 Noon**.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 90 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of work.	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	Baijnath Gandhigran Road km 0/00 to 5/700 (SH: Repair of 1.00 Mtr. Slab culvert at R.D. 5/440 and Abutment D/S side toe wall and U/S side toe wall and U/S side toe wall)	Rs. 75,680/-	Rs.1,600/-	Rs. 350/-	Two Months
2	Baijnath Gandhigran Road km 0/00 to 5/700 (SH: P/L C.C Pavement at RD 0/815 to 0/850)	Rs. 2,13,844/-	Rs. 4,300/-	Rs. 350/-	Two Months
3	C/O Ahju Bir Gunehar Road km 0/00 to 6/00 (SH:- C/O U-Shape drain at RD 4/285 to 4/535)	Rs. 3,52,091/-	Rs. 7,100/-	Rs. 350/-	Two Months
4	C/O Baijnath Pantehar Road km 0/00 to 1/500 (SH:- C/O 1.00 Mtr Span RCC slab culvert at RD 1/455)	Rs. 3,95,478/-	Rs. 8,000/-	Rs. 350/-	Two Months
5	Improvement of Paprola to Andreta Road km 0/00 to 6/300 (SH:- P/L interlocking paver block at km 0/490 to 0/520)	Rs. 3,39,516	Rs. 6,800/-	Rs. 350/-	Two Months
6	C/O Foot path from main Road to house of Shashi Kant ward No.9 in N.P Baijnath Paprola (SH: C/O Paver block at RD 0/919.50 to 0/975)	Rs. 2,81,286/-	Rs. 6,000/-	Rs. 350/-	Two Months
7	Paprola Uttrala Road km 0/00 to 12/00 (SH:- C/O R/wall at RD 11/150 to 11/158)	Rs. 2,41,318/-	Rs. 4,900/-	Rs. 350/-	Two Months
8	Holta Chadhiar Road to Saklani Basti G.P. Drug (SH:- C/O 1.00 Mtr span RCC Slab Culvert at RD 0/210 & V-shape drain at km 0/212 to 0/297)	Rs. 4,35,413/-	Rs. 8,800/-	Rs. 350/-	Three Months
9	C/O Kandral to Shuru Road km 0/00 to 4/00 (SH:-C/O R/wall at RD 1/270 to 1/280)	Rs. 1,87,014/-	Rs. 3,800/-	Rs. 350/-	Two Months
10	Rakkar Rajot Noun Road km 0/00 to 4/00 (SH:- Repair of 3.00 Mtr span RCC Slab culvert at RD 3/020)	Rs. 1,37,781/-	Rs. 2,800/-	Rs. 350/-	Two Months
11	C/O Kandral to Shuru Road km 0/00 to 4/00 (SH:- Cutting in earth work at RD 1/135 to 1/180)	Rs. 1,36,918/-	Rs. 2,800/-	Rs. 350/-	Two Months
12	Link Road from main Road to Bherdi Balh Road km 0/00 to 6/00 (SH:- Cutting in earth work at RD 1/015 to 1/425)	Rs. 4,54,857/-	Rs. 9,100/-	Rs. 350/-	Two Months
13	Repair and maintenance of Ahju Bir Gunehar Road km 0/00 to 6/00 (SH:- C/O U-shape drain & grating over drain at km 0/00 at Bir Road at Zero point)	Rs. 1,16,018/-	Rs. 2,400/-	Rs. 350/-	Two Months

14	C/O of Dan Pather to Babal Mehla Road at Km 0/00 to 1/450 (SH: P/L C.C Pavement at RD 0/350 to 0/450)	Rs. 4,29,067/-	Rs. 9,000/-	Rs. 350/-	Two Months
15	R/D on Chobu Bhullana Road Km 0/00 to 8/00 (SH: C/O R/wall at R.D 0/104 to 0/114)	Rs. 4,82,053/-	Rs. 10,000/-	Rs. 350/-	Two Months

Terms and conditions:-

1. The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
2. The Pan Number, latest Income Tax clearance certificate and EPF No(Where applicable) duly attached with the application.
3. The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
4. In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
5. The application form should accompany the earnest money in the shape of FDR/NSC duly pledged in favour of Executive Engineer, PWD Baijnath otherwise no forms will be issued .
6. The contractor will also have to attach the labour employer license from the labour office with the application.
7. Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
8. The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
9. The contractor shall have all required machinery such as Truck/ Tipper , Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
10. The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
11. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No- 10A.
12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

Executive Engineer,
Baijnath Division.,
H.P.PWD..Baijnath.

For & On behalf of the governor of H.P.

Dated:- 01-05-2023

NO:-PWD/BD/TA/NIT/2023-24/-


1061-65

- 1 Copy to the F.C. cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- 2 The Engineer-in-chief, HPPWD, Shimla.
- 3 The Chief Engineer (MZ), HPPWD, Mandi.
- 4 The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
- 5 All the Assistant Engineer working under this Division.
- 6 Drawing Branch in this office.
- 7 Notice Board.
- 8 The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer,
Baijnath Division.,
H.P.PWD..Baijnath.


D.N.I.T/ SCHEDULE OF QUANTITY

Name of Work:- Baijnath Gandhigaon Road Km 0/00 to 5/700. (SH: Repair of 1.00 mtr Slab Culvert at RD 5/440 and Abutment D/S side toe wall and U/S side toe wall).				Estimated Cost	75680.00
				Earnest Money	1600.00
				Time limit	Two Months
Sr No.	Description of work	No. or Qty.	Unit	Estimated Rate	AMOUNT
				Figure	Words
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5mtr (one point fifty meter) in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 mtr, (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50mtr (Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	3.47	Per Cubic Meter		
2	Providing concrete for plain / reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 PCC Grade M-20 Nominal Mix 1:2:4 (one cement : two sand; four agreegate) per the direction of Engineer-in-charge including entire carriage of materials within all leads and lifts and other incidentals. The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	10.45	Per Cubic Meter		


 Executive Engineer
 Baijnath Division
 HPPWD Baijnath

D.N.I.T/ SCHEDULE OF QUANTITY

Name of Work:- Baijnath Gandhigaon Road Km 0/00 to 5/700. (SH: P/L C.C Pavement at RD 0/815 to 0/850).					Estimated Cost Earnest Money Time limit	213844.00 4300.00 Two Months
Sr No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the intersitices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	14.70	Per Cubic Meter			
2	Construction of un-reinforced, plain cement concrete pavement thickness as per design, over a prepared sub base with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS: 383, maximum size of coarse aggregate not exceeding 25 mm mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weight batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling theforma work as per drawing spreading the concrete with shovels rakes compact using needle, screed and plate vibrator and finishing in continuous operation including construction joints, admixtures as approved, curing the concrete slab for 14 days using curing compound (where specified) and water finishing to lines and grade as per drawing and technical specification clause 1501 The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	23.52	Per Cubic Meter			


Executive Engineer
Baijnath Division
H.P.P.W.D., Baijnath

D.N.I.T/ SCHEDULE OF QUANTITY					
				Estimated Cost Earnest Money Time limit	352091.00 7100.00 Two Months
Sr No.	Description of work	No.or Qty.	Unit	Estimated Rate	
				Figure	Words
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5mtr (one point fifty meter) in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 mtr, (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50mtr (Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	110.00	Per Cubic Meter		
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	59.38	Per Cubic Meter		

Executive Engineer
Bajnath Division
HPPWD Bajnath

4

Name of Work: C/O Baijnath Pantehar Road K.m 0/00 to 1/500. (SH: C/O1.00 Mtr Span R.C.C Slab Culvert at RD 1/455).					Estimated Cost Earnest Money Time limit	395478.00 8000.00 Two Months
Sr No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5mtr (one point fifty meter) in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 mtr, (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50mtr (Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	62.26	Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	6.09	Cum			
3	Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilogramme) per cubic metre in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	35.30	Cum			


4	Providing and laying mechanically mixed vibrated reinforced cement concrete in substructure using concrete grade M-20 (M twenty) design Mix with cement contents not less then 330 kg (three hundred and thiry kilogram) per cubic meter as per drawing and M.O.R.D. technical specification section 800, 900,1200. Including the cost of form work in bed block and dirt wall etc. excluding the cost of reinforcement for reinforced concrete work but icluding curing complete as per direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.61	Cum		
5	Providing and laying mechanically mixed and vibrated reinforced cement concrete in super structure as per drawing and M.O.R.D.. technical specification section 800, 900 and1400 using R.C.C. grade M-25 (twenty five) design mix with cement contents not less then 400 kgs (four hunderd kilogram) per cubic meter with 20 mm (twenty milimeter) nominal size gradrd crushed stone aggregate and curing complete including cost of form work but excluding the cost of reinforcement for reinforced concrete work in deck slab and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	5.15	Cum		
6	Supplying fitting and placing HYSD bar for reinforcement (Fe-415) in super structure complete as per drawing and M.O.R.D. technical specifications section 1000 including cutting, bending, binding and placing in position complete in all respect including cost of binding wire including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	613.73	Per Kg		

Executive Engineer
Bajnath Division
HPPWD Bajnath

D.N.I.T/ SCHEDULE OF QUANTITY

Name of Work: Improvement of Paprola to Andretta Road Km 0/00 to 6/300. (SH: P/L Interlocking Paver Block at Km 0/490 to 0/520).				Estimated Cost	339516.00	
				Earnest Money	6800.00	
				Time limit	Two Months.	
Sr No.	Description of work	No. or Qty.	Unit	Estimated Rate	AMOUNT	
				Figure	Words	
1	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete nominal mix 1:4:8 (one cement is to four sand is to eight crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	6.19	Per Cubic Meter			
2	Providing and laying damp proof course 40 mm (forty milimetre) thick with cement concrete 1:2:4 (one cement isto two sand isto four aggregate) graded crushed stone aggregate 12.5mm (tewlve decimal five milimeter) nominal size mechanically mixed and curing complete as per PWD specification. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.The rate inclusive royalty malkana, toll texes, GST and other taxes imposed by the Goverment.	3.02	Per Cubic Meter			

3	Providing and Laying factory made chamfered edge cement concrete Interlocking Paver Block heavy duty in roads foot path, parks ,lawns, drive ways or light traffic parking etc. of required strength, thickness and size etc. 80mm thick cement concrete paver block of M-35 grade with approved colour design and pattern. The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	180.00	Per Square Meter			
---	--	--------	------------------	--	--	--


 Executive Engineer
 Baijnath Division
 HPPWD Baijnath 

D.N.I.T/ SCHEDULE OF QUANTITY						
Name of Work: C/O Foot Path from main Road to House of Shri Shashikant Ward No. 9 in N P Baijnath paprola. (SH: C/O Paver Block at R/D 0/919.50 to 0/975).				Estimated Cost Earnest Money Time limit	281286.00 6000.00 Two Months	
Sr No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Providing and laying mechanically mixed and vibrated plain cement concrete 1:4:8 (one cement : four sand: eight stone aggregate) 40 mm (forty mili meter)nominal size as per drawing and technical specification clause 802, 803, 1202 & 1203 The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	16.65	Per Cubic Meter			
2	Providing concrete for plain / reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 PCC Grade M-20 Nominal Mix 1:2:4 (one cement : two sand: four stone aggregate) 40mm (forty mili meter)nominal size as per the direction of Engineer-in-charge including entire carriage of materials within all leads and lifts and other incidentals. The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	1.33	Per Cubic Meter			
3	Providing and Laying factory made chamfered edge cement concrete Interlocking Paver Block in Foot path, parks ,lawns, drive ways or light traffic parking etc. of required strength, thickness 60mm thick cement concrete paver block of M-35 grade with approved colour design and pattern laid over 50mm thick compacted bed of sand. The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	144.30	Sqm			

Executive Engineer
Baijnath Division
HPPWD Baijnath

7

D.N.I.T/ SCHEDULE OF QUANTITY

Name of Work: Paprola Uttrala Road Km 0/00 to 12/00. (SH: C/O R/Wall at RD 11/150 to 11/158).				Estimated Cost	241318.00	
				Earnest Money	4900.00	
				Time limit	Two Months	
Sr No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT
				Figure	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5mtr (one point fifty meter) in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 mtr, (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50mtr (Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	15.60	Per Cubic Meter			
2	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty milimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge . including carriage of material within all leads and lifts and other incidentals .The rate is including Royality, Malkhana, Octroi, GST.	45.28	Per Cubic Meter			
3	Back filling behind abutments, wing walls and return walls complete as per drawing and M.O.R.D. technical specification clause 1203 and 1604 and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	14.80	Per Cubic Meter			

4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	14.00	Each			
---	--	-------	------	--	--	--


 Executive Engineer
 Baijnath Division
 HPPWD Baijnath 


8

D.N.I.T/ SCHEDULE OF QUANTITY

Name of Work: Hotla Chadhiar road to Saklani Basti G.P. Durg (SH: C/O 1.00 mtr span RCC slab culvert at RD 0/210 and V-Shape drain in km 0/212 to 0/297)				Estimated Cost	435413.00
				Earnest Money	8800.00
				Time limit	Three Months
Sr No.	Description of work	No. or Qty.	Unit	Estimated Rate	AMOUNT
				Figure	Words
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5mtr (one point fifty meter) in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 mtr, (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50mtr (Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	32.76	Cum		
2	Excavation in soil in Hilly area by mechanical means including cutting and trimming of side slopes and disposing of excavated earth with a lift upto 1.5 m and a lead upto 20 m as per technical specification Clause 1603.1	149.60	Cum		
3	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 20mm(twenty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer -in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	45.22	Cum		

4	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	2.36	Cum			
5	Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilogram) per cubic metre in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax Sale Tax or other taxes imposned by the government	12.79	Cum			
6	Providing and laying cement concrete blocks flooring using cement concrete block of grade M-15 (M- fifteen) including cement concrete bedding grade M-15 (M-fifteen) nominal mix complete as per drawing and MORD technical specification clause 1303 and as per direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	0.61	Cum			
7	Providing and laying mechanically mixed vibrated reinforced cement concrete in substructure using concrete grade M-20 (M twenty) design Mix with cement contents not less then 330 kg (three hundred and thiry kilogram) per cubic meter as per drawing and M.O.R.D. technical specification section 800, 900,1200. Including the cost of form work in bed block and dirt wall etc. excluding the cost of reinforcement for reinforced concrete work but icluding curing complete as per direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	0.60	Cum			


8	Providing and laying mechanically mixed and vibrated reinforced cement concrete in super structure as per drawing and M.O.R.D.. technical specification section 800, 900 and 1400 using R.C.C. grade M-25 (twenty five) design mix with cement contents not less then 400 kgs (four hundred kilogram) per cubic meter with 20 mm (twenty milimeter) nominal size gradrd crushed stone aggregate and curing complete including cost of form work but excluding the cost of reinforcement for reinforced concrete work in deck slab and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.92	Cum			
9	Supplying fitting and placing HYSD bar for reinforcement (Fe-415) in sub structure complete as per drawing and M.O.R.D. technical specifications section 1000 including cutting, bending, binding and placing in position complete in all respect including cost of binding wire including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	0.06	Tonne			
10	Supplying fitting and placing HYSD bar for reinforcement (Fe-415) in super structure complete as per drawing and M.O.R.D. technical specifications section 1000 including cutting, bending, binding and placing in position complete in all respect including cost of binding wire including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	0.175	Tonne			


 Executive Engineer
 Baijnath Division
 HPPWD Baijnath

D.N.I.T/ SCHEDULE OF QUANTITY


Name of Work: C/O Kandral to Suhru Road Km 0/00 to 4/00. (SH: C/O R/Wall at RD 1/270 to 1/280)				Estimated Cost Earnest Money Time limit	187014.00 3800.00 Two Months	
Sr No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5mtr (one point fifty meter) in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 mtr, (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50mtr (Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	10.50	Per Cubic Meter			
2	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty milimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge . including carriage of material within all leads and lifts and other incidentals .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	34.00	Per Cubic Meter			
3	Back filling behind abutments, wing walls and return walls complete as per drawing and M.O.R.D. technical specification clause 1203 and 1604 and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	13.60	Per Cubic Meter			

4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	9.00	Each			
---	--	------	------	--	--	--


 Executive Engineer
 Baijnath Division
 HPPWD Baijnath

D.N.I.T/ SCHEDULE OF QUANTITY					
				Estimated Cost	137781.00
				Earnest Money	2800.00
				Time limit	Two Months
Sr No.	Description of work	No. or Qty.	Unit	Estimated Rate	AMOUNT
				Figure	Words
Rs.	P				
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m (one point fifty meter) in width or 10 sqm), including dressing of sides and ramming of bottoms, lift upto 1.5 m, (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m(Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge The rate also including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. .The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	6.00	Per Cubic Meter		
2	Providing and laying mechanically mixed vibrated reinforced cement concrete in substructure using concrete grade M-20 (M twenty) design Mix with cement contents not less then 330 kg (three hundred and thiry kilogram) per cubic meter as per drawing and M.O.R.D. technical specification section 800, 900,1200. Including the cost of form work in bed block and dirt wall etc. excluding the cost of reinforcement for reinforced concrete work but icluding curing complete as per direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	19.80	Per Cubic Meter		


Executive Engineer
Bajnath Division
HPPWD Bajnath



D.N.I.T/ SCHEDULE OF QUANTITY


Name of Work: C/O kandral to Suhru Road Km 0/00 to 4/00. (SH: Cutting in Earth work at RD 1/135 to 1/180).		Estimated Cost	136918.00
		Earnest Money	2800.00
		Time limit	Two Months

Sr No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT
				Figure	Words	
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transporation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Recovery for usefull stone of 25.40 cum @ 300/- per cum shall be effected from the contractor bill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	508.80	Per Cubic Meter			


 Executive Engineer
 Baijnath Division
 HPPWD Baijnath

D.N.I.T/ SCHEDULE OF QUANTITY


Name of Work: Link Road from Main road to Bherdi Balh Road Km 0/00 to 6/00. (SH: Cutting in Earth work at RD 1/015 to 1/425).				Estimated Cost	454857.00	
				Earnest Money	9100.00	
				Time limit	Two Months	
Sr No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transporation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Recovery for usefull stone of 93.23 cum @ 300/- per cum shall be effected from the contractor bill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	1864.55	Per Cubic Meter			


 Executive Engineer
 Baijnath Division
 HPPWD Baijnath

13

D.N.I.T/ SCHEDULE OF QUANTITY

Name of Work: Repair and Maintenance of Ahju Bir Gunehar Road Km 0/00 to 6/00. (SH: C/O U/shape Drain and grating over drain at Km 0/00 at Bir Road at Zero Point).				Estimated Cost	116018.00	
				Earnest Money	2400.00	
				Time limit	Two Months	
Sr No.	Description of work	No. or Qty.	Unit	Estimated Rate	AMOUNT	
				Figure	Words	Rs. P
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m (one point fifty meter) in width or 10 sqm), including dressing of sides and ramming of bottoms, lift upto 1.5 m, (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m(Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge The rate also including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government. .The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	5.94	Per Cubic Meter			
2	Providing concrete for plain / reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 PCC Grade M-20 Nominal Mix 1:2:4 (one cement : two sand; four stone agreegate 40mm size) per the direction of Engineer-in-charge including entire carriage of materials within all leads and lifts and other incidentals. The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	3.51	Per Cubic Meter			
3	Providing and fixing steel work welded in built up section etc. of approved size by welding etc to steel greating,ladder, railing, Balcony railing and simliar works including applying priming coat of approved steel primer.The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	777.16	Per Kilogram			


 Executive Engineer
 Bajnath Division
 HPPWD Bajnath

D.N.I.T/ SCHEDULE OF QUANTITY

Name of works:- C/O Dan Pather to Babal Mehla Road at Km 0/00 to 1/450. (SH:- P/L C.C Pavement at RD 0/350 to 0/450).					Estimated Cost	429067.00
					Earnest Money	9000.00
					Time limit	Two Months
Sr No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT
				Figure	Words	
1	Providing and Laying, spreading and compacting stone aggregates size 63mm to 45 mm (Sixty three millimeter to forty five millimeter) grading-II(75 mm Consolidated thickness) to water bound macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, Crushable type such as Moorum or Gravel for grading II & III @ 0.22 cum per ten square meter and binding material at the rate of 0.06 cum (Zero point zero eight cubic meters) per ten Sqm (ten square meters) to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading II as per MORD technical specification clause no 405 and as per directions of Engineer in charge. The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	25.20	Per Cubic Meter			
2	Providing and laying cement concrete M-20 , 1:2:4 (one: cement : two sand :four stone aggregate twenty milimeter) (nominal size) in pavement laid to required slope and camber in panels as required including consolidation, finishing and tamping complete. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	53.76	Per Square Meter			


 Executive Engineer
 Baijnath Division
 HPPWD Baijnath

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work :- R/D on Chobhu Bhullana Road km 0/00 to 8/00. (SH :- C/O R/Wall at R.D 0/104 to 0/114)					Estimate Cost:	482053/-
					Earnest Money:	1,0000/-
					Time Limit :	Two Months
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT
				Figures	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5mtr (one point fifty meter) in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 mtr, (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50mtr (Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	24.70	Per cubic metre			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	96.30	Per Cum			
3	Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	28.60	Per Cum			

4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	27	Each			
---	--	----	------	--	--	--


 Executive Engineer
 Baijnath Division
 HPPWD Baijnath 



Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

CERTIFICATE

**CERTIFIED THAT THE TENDERS OF WORKS, AS
CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/-
1061-69 DATED 01-05-2023 ARE URGENT NATURE
AND PUBLIC INTEREST.**

(Signature)
Executive Engineer,
Baijnath Division,
HP.PWD, Baijnath.