

Offline

**HIMACHAL PRADESH  
PUBLIC WORKS DEPARTMENT**

01899-240615 292000  
Fax No 01899-240618

E-mail- ee-dal-hp@nic.in

No. PWD-Dal/TA/Tender /2023-24- 1125-28

To

Dated: - 01.03.2024

The Executive Engineer (IT Cell)  
Nigam Bihar Shimla-2

Subject: - Publishing of Tender Notice.

Dear Sir,

Enclosed please find herewith the tender Notice of work as given in the Notice inviting Tender for uploading on department website as per notification Principal Secretary (PW) to the Govt. of Himachal Pradesh letter No. PBW-(B) A9 (3)1/2020 dated Shimla-2 the 16<sup>th</sup> July 2021 as the work mentioned in the tender notice are urgent in nature and public interest.

DA/ As above.

  
Executive Engineer,  
Dalhousie Division,  
HPPWD, Dalhousie.

Copy forwarded to the Superintending Engineer, 7<sup>th</sup> Circle, HPPWD, Dalhousie for information please.

Copy forwarded to the Computer Cell O/O Executive Engineer, (IT Cell) Nigam Bihar Shimla-2 for information and further necessary action.

Executive Engineer,  
Dalhousie Division,  
HPPWD, Dalhousie

**HIMACHAL PRADESH  
PUBLIC WORKS DEPARTMENT**

**"NOTICE INVITING TENDERS"**

Sealed Item rate tender(s) on PWD from No 6 & 7/8 are hereby invited by the Executive Engineer, Dalhousie Division, HPPWD, Dalhousie on behalf of the Governor of HP for the following works from the approved and eligible contractor/firm of appropriate Class enlisted in HPPWD as per the latest instructions so as to reach in this office as per time schedule given below. The offer of the tender will be kept open for 90 days from the date of opening of the tender. The undersigned reserves the right to reject any or all the tender without assigning any reasons:-

5	Date of receipt of application for the tender Form a/w requisite documents:-	29.02.2024 onward (between 2:00 p.m. to 4:30 p.m.)
6	Date of issued/sale of tender form against Cash payment (non refundable).	05.03.2024

The tender shall be received up to 3:00 PM on 07.03.2024 and will be opened on the same day at 3:30 PM in the presence of intending Contractor or their authorized representative who may like to be present. The tender can be had from this office against cash payment as shown below (Non refundable) during the working hours on 05.03.2024.

The Earnest Money in the shape of National Saving Certificate/FDR of any Bank in HP duly pledged in favour of Executive Engineer, Dalhousie Division, HPPWD, Dalhousie a must accompany with each application. Conditional tender and the tender received without earnest money will simultaneously be rejected. The offer of the tender shall be kept open for 90 days. The XEN reserve the right to accept or reject the tender without assigning any reasons:-

S. No.	Name of work	Estimated cost	Earnest Money	Cost of tender	Time Limit	Class
1.	Restoration of Rain damage on Gand to Ohara road k.m. 0/0 to 5/510 (SH:- Construction of PCC retaining wall at R.D. 5/140 to 5/144	179227	4000/-	350/-	Three month	Class-D & C
2.	Restoration of Rain damage on Gand to Ohara road k.m. 0/0 to 5/510 (SH:- Construction of PCC retaining wall at R.D. 0/210 to 0/220	241925/-	5000/-	350/-	Three month	Class-D & C
3	Improvement of Black spot on Banikhet Dalhousie Kahjjar road k.m. 15/600 to 27/0 (SH: _ Providing and fixing crash barrier at R.D. 16/100 to 16/180 In essential reaches and Edge wall at R.D. 16/100 to 16/107	398191/-	8000/-	350/-	Three month	Class-D & C
4	Restoration of Rain damage on Brangal Wangal Mandoh road k.m. 0/0 to 39/600 (SH:- Hiring of JCB for removal of slips between k.m. 20/0 to 39/600.	95550/-	2000/-	350/-	Two month	Class-D & C
5	Restoration of Rain damage on various roads under Dalhousie Sub Division (SH:- removal of slips/Snow on Banikhet Dalhousie Khajjar road k.m. 0/0 to 6/400 & 15/600 to 27/00 Dalhousie Jandrighat Chamba via kohlari road k.m. 0/0 to 11/040 Link road to village Ruliyani k.m. 0/0 to 3/0 & Link road to village Kathlog to Bharera k.m. 0/0 to 2/180	472500/-	10000/-	350/-	Two month	Class-D & C
6	Restoration of Rain damage on Jandrighat to Pukhri road k.m. 0/0 to 2/100 (SH:- Construction of Breast wall at R.D. 0/00 to 0/08.40	163672/-	3500/-	350/-	Three month	D & C
7	Restoration of Rain damage on Banikhet Dalhousie Khajjar road k.m. 0/0 to 6/400 & 15/600 to 27/00 SH:- removal of slips/Snow on Banikhet Dalhousie Khajjar road k.m. 0/0 to 6/400 & 15/600 to 27/00	252000/-	5500/-	350/-	Two month	D & C

1. The tender forms will not be issued to those Contractors whose performance is not found satisfactory.
2. The tender shall be issued to those contractor or who have not more than two works in hand.
3. GST No./Earnest Money Tender Form cost, copy of enlistment should be accompanied with application.
4. Application without all documents will not be entertained.
5. Proxy application will not be entertained.

  
**Executive Engineer,  
Dalhousie Division,  
HPPWD, Dalhousie.**

No. PWD/LA/Tender/2023-24. 11/29-79

Dated: - 01-03, 2024

Copy forwarded to the following for information and necessary action please:-

1. Engineer-in-Chief, HPPWD, Shimla
2. All the Chief Engineer in HPPWD.
3. All SIs/EE in HPPWD.
4. All AUs/Contractor under this Division.
5. Deputy Commissioner, Chamba
6. BDO Bhattiyat
7. Sub Divisional Magistrate/Tehsildar Dalhousie.
8. Notice Board of this office.

Executive Engineer,  
Dalhousie Division,  
HPPWD, Dalhousie

**Certificate**

Certified that the tenders called vide this office letter No. PWD-/TA/Tender /2023-24:-1125-28 dated01.03.2024 is emergent nature and in Public interest.

  
Executive Engineer,  
Dalhousie Division,  
HPPWD, Dalhousie.

**Certificate**

Certified that the tenders called vide this office letter No. PWD-/TA/Tender /2023-24:-1125-28 dated01.03.2024 is emergent nature and in Public interest.

  
Executive Engineer,  
Dalhousie Division,  
HPPWD, Dalhousie.

## Schedule of Qty.

Name of work: -Restoration of Rain damage on Gant to Ohra road Km. 0/0 to 5/510 (SH: - Construction of PCC Retaining wall at RD. 5/140 to 5/144).

Sr. No.	Descriptions of Item	Qty.	Rate		Unit	Amount
			In fig.	In words		
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150 mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering and as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate including the octroi, royalty, Malkana, toll tax, sales tax, GST or any other taxes imposed by the Government.	15.20		Per Cubic Metre		
2	Providing and Laying plain cement concrete 1:5:10 (one cement is to five sand is to ten graded) crushed stone aggregate 40 mm (forty millimetre) nominal size mechanically mixed and vibrated in foundation for all type structure complete for all heights / depth including curing and cost of form work complete in all respect as per the drawing and technical specifications clause 802, 803, 1202 and 1203 and as per direction of Engineer-in-Charge. The rate including the octroi, royalty. Malkana, toll tax, sales tax , GST or any other taxes imposed by the Government.	34.96		Per Cubic Metre		
3	Back filling with granular material behind abutments, return walls, wing walls and retaining walls complete as per drawings and MORD technical specification clause 1204.3.8 and as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate including the octroi, royalty, Malkana, toll tax, sales tax, GST or any other taxes imposed by the Government.	6.00		Per Cubic Metre		
4	Providing Weepholes in brick masonry / stone masonry / plain / re-inforced concrete abutment, wing wall, return wall, retaining walls with 100 mm (one hundred millimetre) dia meters, PVC pipe extending through the full width of the structures with a slope of 1 (one) vertical : 20 (twenty) horizontal towards drawing face complete as per drawing and tecchnical specification clause 614, 709, 1204.3.7 and as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate including the octroi, royalty, Malkana, toll tax, sales tax, GST or any other taxes imposed by the Government.	12.00	Each			
						Total:-

## Schedule of Qty.

Name of work: - Restoration of Rain damage on Gant to Ohra road Km. 0/0 to 5/510 (SH: - Construction of PCC Retaining wall at RD. 0/210 to 0/220).

Sr. No.	Descriptions of Item	Qty.	Rate		Unit	Amount
			In fig.	In words		
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150 mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering and as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate including the octroi, royalty, Malkana, toll tax, sales tax, GST or any other taxes imposed by the Government.	23.30			Per Cubic Metre	
2	Providing and Laying plain cement concrete 1:5:10 (one cement isto five sand isto ten graded) crushed stone aggregate 40 mm (forty millimetre) nominal size mechanically mixed and vibrated in foundation for all type structure complete for all hights / depth including curing and cost of form work complete in all respect as per the drawing and technical specifications clause 802, 803, 1202 and 1203 and as per direction of Engineer-in-Charge. The rate including the octroi, royalty, Malkana, toll tax, sales tax , GST or any other taxes imposed by the Government.	46.60			Per Cubic Metre	
3	Back filling with granular material behind abutments, return walls, wing walls and retaining walls complete as per drawings and MORD technical specification clause 1204.3.8 and as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate including the octroi, royalty, Malkana, toll tax, sales tax, GST or any other taxes imposed by the Government.	8.70			Per Cubic Metre	
4	Providing Weepholes in brick masonry / stone masonry / plain / re-inforced concrete abutment, wing wall, return wall, retaining walls with 100 mm (one hundred millimetre) dia meters, PVC pipe exetnding through the full width of the structures with a slope of 1 (one) vertical : 20 (twenty) horizontal towards drawing face complete as per drawing and tecnical specification clause 614, 709, 1204.3.7 and as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate including the octroi, royalty, Malkana, toll tax, sales tax, GST or any other taxes imposed by the Government.	19.00		Each		
						Total: -

## Schedule of QTV.

**Name of work:- Improvement of Black spot on Banikhet Dalhousie Kahijiar road Km. 15/600 to 27/0 (SH:- Providing and fixing crash barrier at RD.16/100 to 16/107).**

Sr. No.	Descriptions of Item	Qty.		Rate In fig. In words	Unit	Amount
		16/05	4.85			
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305 and 1603 and as per the directions of the Engineer-in-Charge including setting out, shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto all lead and upto all lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150 mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is including the octroi, royalty, Malkana, toll tax, sales tax, GST or any other taxes imposed by the Government.	16.05	4.85	Per Cubic Metre		
2	Providing and laying plain cement concrete 1:3:6 (one cement is to three sand is to six graded crushed stone aggregate 40 millimeter (forty millimeter) nominal size in or under water and includes the cost of form work curing complete as per drawing and M.O.R.D technical specifications clause 802, 803, 1202 and 1203 or as per direction of Engineer-In-Charge including carriage of materials within all leads, lifts and other incidentals. The rate including the octroi, royalty, Malkana, toll tax, sale tax GST or other taxes imposed by the Government.			Per Cubic Metre		
3	Fixing of Type-A "W" metal beam crash barrier comprising of 3 mm (three millimetre) thick corrugated sheet metal beam rail to be kept 70 (Seventy) centimeter, above road/ground level and to be fixed on ISMC series channel vertical post 150x75x5 mm (One hundred fifty into seventy five into five millimeter) to be spaced 2 mtr (two) meter centre to centre to be kept 1.80 mtr (one point eight zero) meter high & to be kept 1.10 mtr (One point one zero) meter below ground/road level. All steel parts and fittings to be galvanized by hot dip process. All fittings to conform to IS : 1367 and IS: 1364 as amended upto date, metal beam rail to be fixed on the vertical post with a space of channel section 150x75x5 mm (One hundred fifty into seventy five into five millimeter) and 330 mm (three hundred thirty) millimeters long complete as per clause-810 conforming to MORT&H (Ministry of Road Transport & Highway) specifications (Latest revision) including all fittings required for erection at road site of materials and as per the direction of the Engineer-in-charge. Including carriage of materials within all leads lifts and other incidental. The rate including octroi, royalty, Malkana, Tol tax, sale tax GST or other taex imposed by the Government.	72.00		Per Running Metre		

4	Providing and laying plain cement concrete 1:5:10 (one cement is to five sand is to ten graded) crushed stone aggregate 40 mm (forty millimetre) nominal size mechanically mixed and vibrated in foundation for all type structure complete for all heights / depth including curing and cost of form work complete in all respect as per the drawing and technical specifications clause 802, 803, 1202 and 1203 and as per direction of Engineer-in-Charge. The rate including the octroi, royalty, Malkana, toll tax, sales tax , GST or any other taxes imposed by the Government.	18.27		Per Cubic Metre
5	Back filling with granular material behind abutments, return walls, wing walls and retaining walls complete as per drawings and MORD technical specification clause 1204.3.8 and as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate including the octroi, royalty, Malkana, toll tax, sales tax, GST or any other taxes imposed by the Government.	3.47		Per Cubic Metre
6	Providing Weepholes in brick masonry / stone masonry / plain / re-inforced concrete abutment, wing wall, return wall, retaining walls with 100 mm (one hundred millimetre) dia meters, PVC pipe extending through the full width of the structures with a slope of 1 (one) vertical : 20 (twenty) horizontal towards drawing face complete as per drawing and technical specification clause 614. 709, 1204.3.7 and as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate including the octroi, royalty, Malkana, toll tax, sales tax, GST or any other taxes imposed by the Government.	10.00	Each	
			Total:-	

  
 Engineer  
 Dalhousie Division  
 HPPWD Dalhousie

## Schedule of Qty.

Name of work: - Restoration of rain damage on Brangal Wangal Mandoli road Km. 0/0 to 39/600 (SI):- Hiring of JCB for removal of slips between Km. 20/0 to 39/600.

Sr. No.	Descriptions of Item	Qty.	Rate		Unit	Amount
			In fig.	In words		
1	Hiring of JCB / Excavator cum loader for cutting / widening work of road or removal of slips in all kinds of soil and disposing of all excavated earth or un-serviceable materials from the road surface upto any leads and lifts upto any heights and depth as per direction and entire satisfactions of Engineer-in-charge. Any loss to the public / private property or any accident etc. happened during the course of hiring period /execution shall be the absolute responsibility of the JCB / Excavator Owner which shall have to be fully compensated by the Contractor in all cases. The fuel and operational staff for machine will be provided by the owner. The repair and spare. watch and ward of machine also be borne by the Contractor / Owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge including carriage of materials with in all leads. lifts and other incidentals. The rates are inclusive of the octroi, royalty. Malkana, toll tax, sale tax GST or any other taxes imposed by the Government.	91.00			Per Hour	
					Total	

Note - 1) The physical progress of machine will also be measured while submitting the bill for payment. It is ensured that working progress of machine should be not be less than the amount to be paid.

Note - 2) No deviation shall be allowed in any case.

Note -3) Subject of availability of funds

  
 Executive Engineer  
 Dalhousie Division  
 HPPWD Dalhousie

Schedule of QIV.

REVIEW - THE 2013 PREDICTIVE PROGRAMS AND OUTCOMES WILL SHOW THE DETERMINED AS WELL AS THE UNPREDICTED ROLL OUT OF THE PREDICTIVE PROGRAMS AND OUTCOMES. THE 2013 PREDICTIVE PROGRAMS AND OUTCOMES WILL SHOW THE DETERMINED AS WELL AS THE UNPREDICTED ROLL OUT OF THE PREDICTIVE PROGRAMS AND OUTCOMES.

卷之三

Engineering  
Bathgate Division  
Hirphy Division

## Schedule of Qty.

Name of work: - Restoration of Rain damage on Jandrighat to Pukhri road Km. 0/0 to 2/100 (SH:- Construction of Breast wall at RD. 0/00 to 0/08.40).

Sr. No.	Descriptions of Item	Qty.		Rate	Unit	Amount
		In ft.	In words			
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etc. in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150 mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering and as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate including the octroi, royalty, Malkana, toll tax, sales tax, GST or any other taxes imposed by the Government.	12.68		Per Cubic Metre		
2	Providing and Laying P.C.C nominal mix 1:4:8 (one cement is to four sand is to forty graded stone aggregate) (40mm aggregates) concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 and as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate including the octroi, royalty, Malkana, toll tax, sales tax, GST or any other taxes imposed by the Government.	1.47		Per Cubic Metre		
3	Random rubble masonry / polygonal rubble masonry (un-coursed / brought to courses) with hard stone of approved quality in foundation and plinth including levelling up with cement concrete 1:6:12 (One cement is to six sand is to twelve graded stone aggregate 20 mm (twenty millimetre) nominal size) at plinth level in Cement mortar 1:6 (one cement is to six sand) and as per the directions of the Engineer-in-charge including carriage of materials within all leads and lifts and other incidental. The rate inclusive of octroi, toll tax GST or any taxes imposed by the Government.	28.20		Per Cubic Metre		
				Total:-		

Executive Engineer  
Dalhousie Division  
HPWWD Dalhousie

## Schedule of Qty.

Name of work: - Restoration of rain damage on Banikhet Dalhousie Khaejiar road Km. 0/0 to 6/400 & 15/600 to 27/00, (S.M:- removal of Slips/snow on Banikhet Dalhousie Khaejiar road Km. 0/0 to 6/400 & 15/600 to 27/00).

Sr. No.	Descriptions of Item	Qty.	Rate		Unit	Amount
			In fig.	In words		
1	Hiring of JCB / Excavator cum loader for cutting / widening work of road or removal of slips in all kinds of soil and disposing of all excavated earth or un-serviceable materials, from the road surface upto any leads and lifts upto any heights and depth as, per direction and entire satisfactions of Engineer-in-charge. Any loss to the public / private property or any accident etc. happened during the course of hiring period / execution shall be the absolute responsibility of the JCB / Excavator Owner which shall have to be fully compensated by the Contractor in all cases. The fuel and operational staff for machine will be provided by the owner. The repair and spare, watch and ward of machine also be borne by the Contractor / Owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge including carriage of materials, with in all leads, lifts and other incidentals. The rates are inclusive of the actori, royalty, Malkana, toll tax, sale tax GST or any other taxes imposed by the Government.	240.00			Per Hour	
					Total	

Note - 1) The physical progress of machine will also be measured while submitting the bill for payment. It is ensured that working progress of machine should be not be less than the amount to be paid.

Note - 2) No deviation shall be allowed in any case.

Note -3) Subject of availability of funds

  
 Executive Engineer  
 Dalhousie Division  
 M.P.W.D. Dalhousie