



Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ee-bajj-hp@nic.in

CERTIFICATE

CERTIFIED THAT THE TENDERS OF WORKS, AS
CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/
2164-2214 DATED 28-06-2024 ARE URGENT NATURE
AND PUBLIC INTEREST.


Executive Engineer,
Baijnath Division,
HP.PWD, Baijnath.



**Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in**

NOTICE INVITING TENDER"

Sealed item rate on tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before 10.07.2024 up to 11.30 A.M and will be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on 09.07.2024 between 2.00 PM up to 4.30 P.M and the application for issue of tender forms shall be received on 08.07.2024 up to 12.00 Noon.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of Works	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	C/O Padhiarkhar Jandpur Trehal Road km 0/00 to 4/00 (SH: C/O E/wall at RD 0/125 to 0/145.50)	Rs.90,495/-	Rs.1,800/-	Rs.350/-	Two Months
2	R/R Damages on Barot Polling Road km 0/00 to 8/050 (SH: Balance work of repair of 2.00 mtr span slab culvert and Wing wall at RD 4/307 to 4/315)	Rs.2,91,571/-	Rs.5,900/-	Rs.350/-	One Month
3	C/O Barot Polling Road km 0/00 to 8/050 (SH: C/O V-shape drain B/W 6/700 to 7/200)	Rs.3,54,179/-	Rs.7,100/-	Rs.350/-	One Month
4	C/O Baijnath Chobin Balander Road km 0/00 to 14/200 (SH: P/L 80mm thick Paver Block at km 0/620 to 0/640)	Rs.4,86,004/-	Rs.9,700/-	Rs.350/-	One Month
5	C/O Bherdi to Balh road via Sunka Ram House Km 0/00 to 2/00 (SH: P/L Tack Coat with Seal Coat at km 0/00 to 0/250)	Rs.95,275/-	Rs.2,000/-	Rs.350/-	One Month
6	C/O Link road from Rainabari to Balh (SH: C/O R/wall at km 0/00 to 0/017 & 0.60 mtr span RCC slab culvert at RD 0/040)	Rs.3,48,243/-	Rs.6,900/-	Rs.350/-	Two Months
7	A/R & M/O Various road under Bir Sub Division Bir (SH: Supplying and Stacking of Granular sub-base)	Rs.2,49,831/-	Rs.5,000/-	Rs.350/-	One Month
8	A/R & M/O various roads under Bir Sub Division HPPWD Bir (SH: Supplying and stacking of G-III, Grit & Sand)	Rs.1,80,762/-	Rs.3,700/-	Rs.350/-	Two Months
9	Restoration of rain damages on various roads under Baijnath Sub Division (Chadhair Section) (SH: Hiring of Hydraulic Excavator/JCB for removal of slips & cleaning of slush from catch pit of culverts)	Rs.97,900/-	Rs.2,000/-	Rs.350/-	One Month
10	R/D on Barot to Nalhota road under Bir Sub Division, HPPWD Bir (Portion Barot to Multhan) (SH: Hiring of Tipper/Mini Tipper)	Rs.2,77,875/-	Rs.5,600/-	Rs.350/-	Two Months
11	R/D on Barot to Nalhota Road km 0/0 to 14/000 (Portion Barot to Multhan) (SH: Hiring of Hydraulic Excavator cum Loader/JCB in land sliding and removal of slips)	Rs.4,95,000/-	Rs.10,000/-	Rs.350/-	Two Months
12	C/O Bahadur Singh Ka Ghat to Shiv Mandir road km 0/0 to 0/450 (SH: Cutting in earth work km 0/145 to 0/375)	Rs.4,92,157/-	Rs.9,800/-	Rs.350/-	One Month
13	Construction of Tashizong to Bheth Jhikli, Bheth Upperli Ghorpith Averi road km 0/00 to 8/915 (SH: Supplying and Fixing Computer with UPS)	Rs.92,000/-	Rs.2,000/-	Rs.350/-	One Month
14	Construction of Chobin Sansai & Kothi Kholi via Patel Nagar road Km 0/00 to 13/860 (SH: Supplying and Fixing Computer with UPS)	Rs.92,000/-	Rs.2,000/-	Rs.350/-	One Month

E.E.

15	Construction of Baijnath Chobin Balandar Road (SH: C/O Edge Wall at RD 5/915 to 5/930 and U-shape drain at RD 4/750 to 4/810 and 6/705 to 6/770)	Rs.2,59,295/-	Rs.5,200/-	Rs.350/-	Two Months
16	C/O link Road from Bari Mod to Bhugot via Dhai Mela Rest House km 0/00 to 1/00 (SH: C/O B/Wall at Km 0/660 to 0/668)	Rs.2,62,351/-	Rs.5,300/-	Rs.350/-	One Month
17	Detail Project report for land slide flash flood Mitigation measures on Barot Lohardi Polling road Km 0/00-8/050 (SH: Geo Tech Investigation (Bearing Capacity of Soil)	Rs.4,72,500/-	Rs.9,500/-	Rs.350/-	One Month
18	C/O Link Road from Rainabari to Balh (SH: Cutting in earth work Km 1/070 to 1/205)	Rs.4,47,883/-	Rs.9,000/-	Rs.350/-	Three Month
19	Detail Project report for land slide flash flood Mitigation measures on Barot Lohardi Polling road Km 0/00-8/050 (SH Detail design and Preparation of Detail Project report)	Rs.3,50,000/-	Rs.7,000/-	Rs.350/-	One Month

Terms and conditions:-

1. The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
2. The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.
3. The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
4. In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
5. Only two tenders form will be issued to the contractor/firm which may be noted.
6. The contractor will also have to attach the labour employer license from the labour office with the application.
7. Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
8. The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
9. The contractor shall have all required machinery such as Truck/ Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
10. The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
11. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No- 10A.
12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

Executive Engineer,
Baijnath Division.,
H.P.PWD..Baijnath.

For & On behalf of the governor of H.P.

Dated:- 28.06.2024

NO:-PWD/BD/TA/NIT/2024-25/- 2164-2214

- 1 Copy to the F.C. cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- 2 The Engineer-in-chief, HPPWD, Shimla..
- 3 The Chief Engineer (MZ), HPPWD, Mandi.
- 4 The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
- 5 All the Assistant Engineer working under this Division.
- 6 Drawing Branch in this office.
- 7 Notice Board.
- 8 The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer,
Baijnath Division.,
H.P.PWD..Baijnath.

D.N.L.T/SCHEDULE OF QUANTITY

4


Name of work :- C/O Padhiarkhar Jandpur Frehal Road Km 0/00 to 4/00.
(SH:- C/O E/wall at RD 0/125 to 0/145.50).

Estimate Cost:- 90495.00

Fareest Money: 1800.00

Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. / P
				Figures	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5m (one point five zero meter) in width or 10 sqm), (ten square meter) including dressing of sides and ramming of bottoms, lift upto 1.5 m. (one point five zero meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 mt (fifty meter). All kinds of soil, with in all leads by any mode of transportation and other incidental as per direction and entire satisfaction of Engineer -in -charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	10.54	cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete in plain cement concrete 1:5:10 (one cement: five sand: ten graded stone aggregate 340mm (fourty millimeters nominal size) to obtain the minimum compressive strength in or under water and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	17.22	cum			
3	Providing weep holes in brick masonry stone masonry plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (x) 20 (1) towards drainage face complete as per drawing and M O R D.technical specification clauses 614, 709 & 1206.6 including hauling carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	14.00	Each			
Total						


 Executive Engineer
 Baijnath Division,
 H.P.P.W.D. Baijnath (H.P.)

D.N.L.T/ SCHEDULE OF QUANTITY

Name of work :- R/R Damages on Barot Polling Road Km 0/00 to 8/050.


(Sh: balance Work of Repair of 2.00 mtr span slab culvert and Wing Wall at RD 4/307 to 4/315).

Estimated Cost: Rs.	2,91,571/-
Earnest Money: Rs.	5,900.00
Time Limit :	One Month

SCHEDULE OF WORKS

Sr. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) : manual means in foundation trenches or drains (not exceeding 1.5m (one point fifty meter) in width or 10 sqm), including dressing of sides and ramming of bottoms, lift upto 1.5 m. (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m (fifty meter). All kinds of soil with in all leads by any mode of transportation and other incidental as per direction and entire satisfaction of Engineer -in -charge. The rate inclusive royalty malkhana, toll taxes, GST and other taxes imposed by the Government.	16.96	Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M1-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand) to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1700 and to the entire satisfaction and direction of Engineer -in -Charge. The rate inclusive royalty malkhana, toll taxes, GST and other taxes imposed by the Government.	47.28	Cum			
3	Back filling behind abutments, wing walls and return walls complete as per drawing and M.O.R.D. technical specification clause 1203 and 1604 and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	4.80	Cum			
TOTAL						

Executive Engineer
Bajinath Division,
H.P.P.W.D. Bajinath (H.P.)

D.N.LT/ SCHEDULE OF QUANTITY

Name of work : C/O Barot Polling Road Km 0/00 to 8/050,
(t Sh:- C/O V-Shape Drain B/W 6/700 to 7/200).

Estimated Cost: Rs.	3,54,179/-
Earnest Money: Rs.	7,100.00
Time Limit :	One Month

SCHEDULE OF WORKS

Sr No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any level and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm	37.50	Cum			
2	Preding and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete in plain cement concrete, 3.6 (one cement: three sand: six graded stone aggregate 120mm (twenty millimeters nominal size) to obtain the minimum compressive strength M-10 in under water and curing complete including pumping and bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all height depths including the cost of form work for plain concrete in Drain and Edge wall.	57.50	Cum			
TOTAL.						


 Executive Engineer
 Baijnath Division
 H.P.P.W.D. Baijnath (H.P.)

D.N.L.T / SCHEDULE OF QUANTITY

4

Name of work :- C/O Baijnath Chobin Balander Road Km 0/00 to 14/200,
 (Sb:- P/I. 80mm thick Paver Block at Km 0.620 to 0.640).

Estimated Cost: Rs.	486004.00
Earnest Money: Rs.	9,700.00
Time Limit:	One Month

SCHEDULE OF WORKS

Sr. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3.6 (one cement is to three sand is to six crushed stone agg. 40mm forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights, depths including the cost of form work and open in foundation as per drawings and M O R D technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer-in-Charge including hauling carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	17.88	Cum			
2	Providing concrete for plain reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 PCC (Grade M-20 Nominal Mix 1:2:4 (one cement : two sand: four aggregate) per the direction of Engineer-in-charge including entire carriage of materials within all leads and lifts and other incidentals The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	0.38	Cum			
3	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc. of required strength, thickness & size shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand, complete all as per direction of Engineer-in-Charge 80mm (Eighty millimeter) thick cement concrete paver block of M-35 grade with approved colour, design & pattern. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	17.95	Sqm			
TOTAL						

Executive Engineer
 Estimation Division
 M.O.R.D., Baijnath

(5)

D.N.I.T/ SCHEDULE OF QUANTITY

Name of work :-C/O Bherdi to Balh Road via Sunka Ram House Km 0/00 to 2/00.
(Sh:- P/L Tack Coat with Seal Coat at Km 0/00 to 0/250).

Estimated Cost: Rs.	95275.00
Earnest Money: Rs.	2,000.00
Time Limit :	One Month

SCHEDULE OF WORKS

Sr. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the Rate of 0.225 kg (zero point two hundred twenty five) per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	800.63	Sqm			
2	Providing and laying seal coat sealing the voids in a bituminous surface laid the specified levels grade and cross fall using type A type C type C as per technical specification clause 510 type B VG-10. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	800.63	Sqm			
TOTAL.						

[Signature]
Executive Engineer
Balrath Division
H.P.W.D., Balrath

(6)(a)

D.N.LT / SCHEDULE OF QUANTITY

Name of work :- C/O Link Road from Rainahari to Bahi.

(S.No:- C/O R/wall at Km 0/00 to 0/017 & 0.60 mtr. Span RCC slab culvert at RD 0/040).

Estimated Cost: Rs.	348243.00
Earnest Money: Rs.	6,900.00
Time Limit:	Two Months


SCHEDULE OF WORKS

Sr. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5mtr (one point fifty meter) in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 mtr. (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50mtr (Fifty meter) All kinds of soil, with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	27.47	Cum			
2	Providing and laying cement concrete 1:5:10(one cement :five sand:ten graded crushed broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls, in or under water complete including, pumping or hauling out water, dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights depths including cost of form work as per drawings and M.O.R.D technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	42.50	Cum			
3	Back filling behind abutments, wing walls and return walls complete as per drawing and M.O.R.D technical specification clause 1203 and 1604 and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	17.00	Cum			
4	Providing weep holes in brick masonry/stone masonry plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I(v): 20(H) towards drainage face complete as per drawing and M.O.R.D technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge .The rate including Royality, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	15.00	Each			

(6)

5	Providing concrete for plain reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 M-10 The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	2.59	Cum				
6	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 804, 805, 806, 807, 1202 and 1204 M-15 The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	10.55	Cum				
7	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 800, 1205.4 and 1205.5 RCC M-25 The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	1.68	Cum				
8	Supplying, fitting, and placing HYSI bar reinforcement in superstructure complete as per drawing and technical specifications Clauses 1002, 1010 and 1202 The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	170.00	Kg				
TOTAL.							

Executive Engineer
 Baijnath Division
 V.O. Baijnath (H.P.)



DRAFT SCHEDULE OF QUANTITY

7

Name of work : A/R & M/O Various roads under Bir Sub Division Bir
 (SU): Supplying and Stacking of Granular sub-base.)

Estimate Cost: 2,49,831.00/-
 Earned Money: 5,000.00/-
 Time Limit : One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Supplying and Stacking of Granular sub-base with local materials (Table 400,13) by mix in place method normal complete as per Clause 401.4 as per Technical Specification Clause 408,as per direction of Engineer with in all leads and lifts and other incidental.the entire satisfaction and direction of Engineer in Charge including hauling carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	135.00	Per Cubic metre			
Total						

Executive Engineer
 Baijnath Division,
 H.P.P.W.D. Baijnath (H.P.)

5

(8)

DRAFT SCHEDULE OF QUANTITY

Name of work :- V/R & M/O various roads Under Bir Sub Division H.P.P.W.D Bir
(S.H: Supplying and stacking of G-III , Grit & Sand)

Estimate Cost: 1,80,762.00/-
Earnest Money: 3,700.00/-
Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	SCHEDULE OF WORKS		AMOUNT Rs. P
				Figures	Rate Words	
1	Providing stone aggregate size 53mm to 22.40 mm (fifty three millimeter into twenty four point four millimeter) Grading-III (75mm (seventy five millimeters) consolidated thick to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone Screening to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 by manual means and to the entire satisfaction and direction of Engineer - in- Charge including carriage of material with in all leads and lifts and other incidental. The rate includes octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government	20.00	Per Cubic metre			
2	Supply and stacking of fine aggregate sand of size greater than 0.06mm (zero decimal zero six millimeters) and shall consist of clean, hard, durable uncoated dry particles and shall be free from dust, soft or flaky material organic matter or other deleterious substances. The material shall stacked at road side clear of carriage way and shoulders or on even ground as per instruction of Engineer-in-Charge. The aggregate shall pass 1.7mm sieve and retained on 180 micron sieve. The rate includes octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	30.00	Per Cubic metre			
3	Supply and stacking of crushed stone aggregate 12mm (twelve millimeter) and 10mm (ten millimeter) size consisting of angular, fragement of clean, hard, tough and durable rock. The aggregates shall be free of elongated and flaky pieces, soft and disintegrated stones and vegetable and other deleterious matter. The aggregates shall be stacked in proper stacks of road side clear of carriage way and shoulders or on even ground as per the instruction of Engineer-in-Charge. The proportion of the quantities of the material shall be as under:-a) Stone chippings 12mm (twelve millimeter) size passing 20mm (twenty millimeter) sieve and retained on 10mm (ten millimetre) sieve 0.18 cubic metre. Stone chippings 10mm (ten millimeter) size passing 12.5mm (twelve decimal five millimeters) sieve and retained on 6.30mm (six decimal three millimeters) sieve 0.09 (zero point zero nine cubic metre).	60.00	Per Cubic metre			

Executive Engineer
Bajnath Division,
H.P.P.W.D. Bajnath (H.P.)

(9)

DNIT/SCHEDULE OF QUANTITY

Estimated Cost:- 97, 900.00

Earnest Money:- 2000.00

Time Limit:- One Month

**Name of work:- : Restoration of Rain Damages on Various roads under Baijanth sub Division Chadhiar Seetion .
(SH: Hiring of Hydraulic Excavator/JCB for Removal of Slips & Cleaning Of Slush from Catchpit of culverts)**

Sr. No.	Description of items	Quantity	Rates (in Rupees)		Unit	Amount (in Rupees)
			In Figure	In words		
1	2	3	4	5	6	7
1.	Hiring of Hydraulic Excavator having capacity of 0.9 Cum (zero point nine) in working condition per hour basis excluding Sunday Holiday, for rainy seasons as and when required. The operational and maintenance charges POL charges and other miscellaneous supply replacement required for smooth running of vehicle will be borne by the owner of the Hydraulic Excavator, the rate including hauling / carriage of materials to various location of transportation in all leads . lifts and other incidental complete in all respect and entire satisfactions of Engineer -in -Charge. The rates are inclusive all taxes levy by the govt time to time including GST .	89.00			Per Hour	

Total


Executive Engineer
Baijanth Division,
H.P.P.W.D. Baijanth (H.P.)

10

SCHEDULE OF QUANTITY

Name of Work: R/D on Barot to Nalhota Road Under Bir Sub Division, HPPWD Bir (Portin Barot to Multhan)
(SH: Hiring of Tipper / Mini Tipper)

Estimated Cost: Rs. 277875/-
Earnest Money: Rs. 5600/-
Time Limit : Two Months

SCHEDULE OF WORKS

S No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Hiring of Tipper / Mini Type Tipper having capacity 3.50 Cum / 6-7 ton capacity in working condition per hour basis including Sunday / Holiday, for rainy seasons as and when required (i.e. need basis). Operational and maintenance charges POI, charges and other miscellaneous supply/replacement required for smooth running of vehicle will be borne by the owner of the Tipper / Mini Tipper. The rate is including Royalty, Makhana, Octroi, toll tax, or any other taxes imposed by the Government including GST.	585.00	Per Hour			



Executive Engineer
Bajnath Division,
H.P.P.W.D. Bajnath (H.P.)



SCHEDULE OF QUANTITY

Name of Work: R/D on Barot to Nalhota Road Km 0/0 to 14/000 (Portion Barot to Multhan)
 (SH: Hiring of Hydraulic Excavator cum Loader / JCB). In Land Sliding and Removal of Slips

Estimated Cost: Rs. 495000/-
Earnest Money: Rs. 10000/-
Time Limit: Two Months

SCHEDULE OF WORKS

S. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Hiring of Hydraulic Excavator cum front end loader One Cum bucket capacity @ 45 Cum /hour in working condition per hour basis including Sunday / Holiday, for rainy seasons as and when required (i.e. need basis). The patrolling charges will be paid half from destination to working site. Operational and maintenance charges POI, charges and other miscellaneous supply/replacement required for smooth running of vehicle will be borne by the owner of the Hydraulic Excavator. The rate is including Royalty, Malkhana, Octroi, toll tax, or any other taxes imposed by the Government including GST.	450.00	Per Hour			


Executive Engineer
 Baijnath C. S.
 H.P.P.W.C. (H.P.)


SCHEDULE OF QUANTITY

Name of Work: C/O Bahadur Singh Ka Ghat to Shiv Mandir Road Km 0/0 to 0/450
(SI: Cutting in earth work Km 0/145 to 0/375)

Estimated Cost: Rs. 492157/-
Earnest Money: Rs. 9800/-
Time Limit: One Month

SCHEDULE OF WORKS

S No	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Excavation in earthwork in hilly areas in all heights and depths, in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and levels as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification clause 1603.1 and 1603.2 to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, up to all leads & lift and finishing of the road to specified dimensions or as directed by the Engineer-in charge for smooth riding. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases. The recovery of Rs. 300.00 per cubic metre for 127.71 cubic metre useful stones shall be made from the contractor on pro-rata basis in each running bill. The rate including of octroi, royalty, Malkama, tolltax, GST or other taxes imposed by the government	2344.50	Per Cubic Meter			


Executive Engineer
Bajjmath Division,
H.P.P.W.D. Bajjmath (M.P.)

(13)

SCHEDULE OF QUANTITY

Name of Work : Construction of Tashizong to Bheth Jhikli, Bheth Upperli Ghorpith Averi road Km 0/00 to 8/915. (S.t.h. Supplying and Fixing Computer units UPS)				Estimate Cost: 92,000/- Earnest Money: 2,000/- Time Limit : One Month		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Providing, supplying and fixing Desk top computer all-in-one PC 12th (twelfth) generation, intel core i5-1235U. Size of screen 24" (twenty four inches)60.50 CM (Sixty point five centimeters)FHD Anti-Glare Desktop with 8 GB (Eight GB) RAM, 1 TB HDD+256 GB/Win 11/wireless keyboard and mouse combo/MSO/IR Privacy Camera/starry white) 24-cb1902in. with in all leads and lifts and other incidental. The rate including GST and other taxes imposed by the Govt.	1.00	Each			
2	MicroTek UPS 650 VA Legend Sn : 24BOU1104R03219000	1.00	Each			
		Total				

Executive Engineer
Bajnath Division
HPPWD Bajnath




14

SCHEDULE OF QUANTITY

Name of Work : Construction of Chobin Sansai & Kothi Kholi Via Patel Nagar road Km 0/00 to 13/860
 (S.H.: Supplying and fixing Computer with UPS.

Estimate Cost: 92,000/- only
 Earnest Money: 2000/- only
 Time Limit : One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Providing, supplying and fixing Desk top computer all-in-one PC 12th (twelfth) generation, intel core i5-1235U. Size of screen 24" (twenty four inches)(60.50 CM (Sixty point five centimeters)FHD Anti-Glare Desktop with 8 GB (Eight GB) RAM, 1 TB HDD+256 GB/Win 11/wireless keyboard and mouse combo/MSO/IR Privacy Camera/starry white) 24-cb1902in. with in all leads and lifts and other incidental. The rate including GST and other taxes imposed by the Govt.	1.00	Each			
2	MicroTek UPS 650 VA Legend Sn : 24BOU1104R03219000	1.00	Each			
Total						



Executive Engineer
 Baijnath Division
 HPPWD Baijnath

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of Work : Construction of Baijnath Chobin Balander Road . (S.H : C/O Edge Wall at RD 5/915 to 5/930 and U-shape Drain at RD 4/750 to 4/810 and 6/705 to 6/770 .)				Estimate Cost: 2,59,295.00 - Earnest Money: 5,200.00 - Time Limit : Two Months	
Sr. No.	Description of work	No. or Qty.	Unit	Rate	AMOUNT Rs. P
				Figures	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials, and disposal in all lead and hill including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	53.47	Per Cum		
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) m ³ or under water and curing complete including pumping or bailing out water, dewatering, removal of slush as required at site which may arise at the time of laying under water complete for all heights, depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	43.30	Per cubic metre		
	Total				

Executive Engineer
Baijnath Division,
H.P.P.W.D. Baijnath (H.P.)
[Signature]

DNIT/DRAFT SCHEDULE OF QUANTITY

16

Name of work: C/O Link Road from Bari Mod To Bhungol Via Dhar Mela Rest House km 0.00 to 1.00
 C/Sht: C/O B wall at Km 0/660 TO 0/668.

Estimate Cost: 2,62,351.00
 Earnest Money: 5,000.00
 Time Limit: One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling, wedging out rocks. Where blasting is prohibited for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D technical specification clause 308.1 and as per direction of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any 10t including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and hauling out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of shish which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government	18.24	Per Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:3:10 (one cement : five sand : ten graded stone agg: 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government	39.56	Per Cum			
3	Providing weep holes in brick masonry/stone masonry, plain reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):2(H) towards drawing face complete as per drawing and technical specification clause 614.709.1204.3.7 including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government	18.00	Each			
Total						


Executive Engineer
 Bajnath Division,
 H.P.P.W.D. Bajnath (H.P.)
 


JIT
DNIT/DRAFT SCHEDULE OF QUANTITY

Name of Work: - Detail Project report for land slide flash flood Mitigation measures on Barot Lohardi Polling road KM 0/00-8/050	(Sh: -Geo Tech	Estimate Cost: 4,72,500.00 Earnest Money: 9,500.00 Time Limit : One Month
Investigation (Bearing Capacity of Soil)		

SCHEDULE OF WORKS

Sl. No.	Description of work	No. or Qty.	Unit	Rate to be entered by the Bidder in		AMOUNT Rs. P
				Figures	Words	
1	Geo Tech Investigation Bearing Capacity of soil at Site at Different Locations and Submitted the test Result complete in all respect The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	70.00	Each			

Executive Engineer
Balath Division
H.P.P.W.D., Deoghat



SCHEDULE OF QUANTITY

Name of Work: C/O Link Road from Rainabari to Bath
(SIH: Cutting in earth work Km 1/070 to 1/205)

Estimated Cost: Rs. 447883/-
Earnest Money: Rs. 9000/-
Time Limit: Three Months

SCHEDULE OF WORKS

S No.	Description of work	No or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
F	Excavation in earthwork in hilly areas in all heights and depths, in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and levels as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification clause 1603.1 and 1603.2 to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, up to all leads & lift and finishing of the road to specified dimensions or as directed by the Engineer-in-charge for smooth riding. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases. The recovery of Rs. 300.00 per cubic metre for 224.76 cubic metre useful stones shall be made from the contractor on pro-rata basis in each running bill. The rate including of octroi, royalty, Malkama, tolltax, GST or other taxes imposed by the government.	1461.95	Per Cubic Meter			

Executive Engineer
Baijnath Division,
H.P.P.W.D. Baijnath (H.P.)

DRAFT SCHEDULE OF QUANTITY

Name of Work: - Detail Project report for land slide flash flood Mitigation measures on Barot Lohardi Polling road KM 0/00-8/050
 and Preparation of Detail Project report)

Estimate Cost: 3,75,000.00
 (Sh: -Detail design ✓
 Earnest Money: 2,500.00 ~~7000/-~~,
 Time Limit : One Month

19

SCHEDULE OF WORKS

Sl. No.	Description of work	No. or Qty.	Unit	Rate to be entered by the Bidder in		AMOUNT Rs. P
				Figures	Words	
1	Preparation of Detailed Project Report and detailed design of land slide mitigation complete in all respect in manuscript form and submission of the same to higher office for approval. If any correction/amendment has desired by the head office the same may be corrected as desired and directed by the Engineer - Incharge . After approval the same should be submitted in fair form complete and all provision as per HPPWD Specification.	3.00	Each			

Executive Engineer
 Pollution
 Control
 Board
 Bijnai