

**HIMACHAL PRADESH  
PUBLIC WORKS DEPARTMENT  
"NOTICE INVITING TENDER"**

Sealed Percentage rates tender in emergent condition on form 6 & 7 are invited on behalf of Governor of Himachal Pradesh for the following work covered under emergent/inescapable nature from the approved and eligible contractors enlisted in of interesting contractors or their authorized representatives who may like to be present. If it happens to be holiday on the schedule date of opening of tender, the same will be opened on next working day. The application for obtaining the tender form will be received upto 12.00 PM & without EMD tender form will not be accepted, moreover the tender form can be had from this office against cash payment (Nonrefundable) up to 5.00 P.M. on 28.06.2024.

The earnest money in the shape of National Saving Certificate/ Time deposit accounts/Saving account in any of the Post Office and Banks of Himachal Pradesh duly pledged in favour of the Xen Mandi Division No. II must accompany with each tender. Conditional tender and the tender received without earnest money will summarily be rejected. The earnest money should be attached with application. The offer of the tender shall be kept open for 90 days. The Executive Engineer reserves the right to reject the tender without assigning any reason.

Sr. No	Name of work	Estt. cost	E/Money	Cost of tender form	Time limit
1.	Landslide Mitigation work for recurring land slide at Bari Gumanu on Ganpati Kun Ka Tar Road at RD. 2/740. (SH: - Geological Survey, GPS Mapping and Topography/Videography survey etc.).	Rs 1,81,500	Rs 4,000	Rs. 350	One Month
2.	Landslide Mitigation work for recurring land slide at Bari Gumanu on Ganpati Kun Ka Tar road at RD. 2/740. (SH:- Preparation of DPR thereof).	Rs 4,99,995	Rs 10,000	Rs. 350	One Month
3.	Geo-technical investigation for Landslide Mitigation work for recurring land slide at Bari Gumanu on Ganpati Kun Ka Tar road at RD. 2/740. (SH:- Carrying out geo-technical investigation of proposed site for bearing test of soil etc.)	Rs 2,80,000	Rs 5,600	Rs. 350	One Month
4.	Improvement of black spot on Chandigarh Mandi Manali road NH-21 (New NH-3). (SH:- Maintenance and Erection of overhead signage at ITI Chowk Mandi).	Rs 4,95,000	Rs 10,000	Rs. 350	One Month
5.	Improvement of black spot on Chandigarh Mandi Manali road NH-21 (New NH-3). (SH:- Maintenance and Erection of overhead signage at Mangwain Chowk).	Rs 4,95,000	Rs 10,000	Rs. 350	One Month

Certified that tender of above works are being called of emergent nature in exigency of public interest.  
GENERAL CONDITIONS: -

1. The Contractors/ Bidders must submit copy of their Permanent Income Tax Account Number/ GST Number/ EPF No. along with the application for tender.
2. The Earnest money for the above works should be submitted with applications for the purchase of the tender documents.
3. The Contractors/Firms should attach copy of the Registration/ Renewal with the application.
4. The contractor/ bidder should quote his rates both in Figures and words, where there is any discrepancy between the rates in figures and words, the rates in words will be governed.
5. Conditional and telegraphic/email tender shall not be accepted and rejected straightway. Tender received after due date and time will be rejected.
6. The offer shall remain valid up to 75 days.
7. The provisions of guidelines issued vide the Principal Secretary (PW) to the Govt. of HP, Shimla vide notification No. PBW(B)A(3)1/2020 dated. Shimla-2 the 22nd July, 2020 regarding adoption of CPWD works manual 2019 & other publication of CPWD in HPPWD shall also be applicable.
8. The tender forms will not be issued to those contractors whose performance is not found satisfactory.
9. The contractors whose rates are abnormally low may be asked to furnish the full justification of his rate failing which he will be debarred to compete in tendering for four months.
10. The contractor must be ensured that he is not having more than two works in hand and their detail must be prescribed in the proforma & attached with the application and only up to completion of work satisfactory including adherence to quality parameters further work will be awarded to him & two jobs shall be considered in one application subject to above.
11. The rates beyond the limit of over + 5%, will be rejected and the rates quoted below 10 %, the Additional Performance security will have to borne for unbalanced bid.
12. The participants should have the work done of similar nature & sufficient machinery & T & P alongwith proof.
13. The intending bidders who want to purchase tender form for any through job and are unable to visit the office physically must send his/her authority letter with the person to whom the particular job is to be sold.
14. The tender form will not be sold to those bidders who have more than three pending works (any Head) for the last six months or more.

15. The Executive Engineer reserves the right to accept/rejected any tender/applications or all tenders without assigning any reasons.
16. The intending bidder must have experience in preparation of landside DPR's under SDMF and the must produce documentary evidence.
17. The intending bidders must have experience in this regard execution of such works & must produce documentary evidence in this regard.



Executive Engineer  
Mandi Division No.II  
HP.PWD Mandi

No.PW-MDII-CB NIT (off line) /2024-

2979 - 92

Dated: - 15/6/2024

Copy forwarded to the following for information and necessary action:-

1. The Engineer-in-chief, HPPWD: Shimla.
2. The Deputy Commissioner Mandi Distt. Mandi HP
3. The Sub Divisional officer (Civil) Sadar Mandi Distt. Mandi HP
4. The Chief Engineer, (MZ)HPPWD: Mandi.
5. The Superintending Engineer, 1<sup>st</sup> Circle, HPPWD: Mandi.
6. The Distt. Panchyat officer Mandi Distt. Mandi HP
7. The Commissioner Nagar Nigam Mandi Distt. Mandi HP
8. All A. E, S under this division.
9. The President of Contractor's Association.
10. Notice Board/Accounts Branch/Drawing Branch/Supdt. With spare copies.



Executive Engineer  
Mandi Division No.II  
HP.PWD Mandi

**%age Rate of SCHEDULE OF QUANTITY**

**Name of work :- Landslide Mitigation work for recurring land slide at Bari Guumanu on Ganpati Kun Ka Tar road at RD. 2/740. (SH:- Geological Survey, GPS Mapping and Topography/Videography survey etc.).**

Estimated Cost Rs. 1,81,500/-  
Earnest Money Rs. 4,000/-

**Sr. No.**

**Description of items.**

**Qty.**

**Figure.**

**Rates in:**

**Words.**

**Unit.**

**Amount.**

1 Preparation of Detailed Project Report complete in all respect as per scope of work mentioned below:-

(a) A detailed Geological Report on Landslide at Bari Guumanu on Ganpati Kun Ka Tar road which includes complete topography/drone survey along with GPS Mapping as per direction and entire satisfaction of Engineer-in-charge.

**Total**

1,81,500.00

Time :- One Month.

  
Executive Engineer,  
Mandi Division No-II,  
HP-PWD, Mandi.

**Percentage Rate Schedule of Quantity**

**Name of work :- Landslide Mitigation work for recurring land slide at Bari Guumanu on Ganpati Kun Ka Tar road at RD. 2/740. (SH:- Preparation of DPR thereof).**

Estimated Cost Rs. 4,99,995/-  
Earnest Money Rs. 10000/-

Time :- One Month.

Sr. No.	Description of items.	Qty.	Rates in:		Unit.	Amount.
			Figure.	Words.		
1	Preparation of Detailed Project Report complete in all respect as per scope of work mentioned below:- Preparation of Detailed Design and drawing, conducting a comprehensive slope stability assessment, developing construction schedules, and formulating technical designs for slope retaining structures using Composite or non-composite slope retaining technique and drainage of the structure, as per direction and entire satisfaction of Engineer-in-charge including carriage of materials within all leads, lifts and other incidental. The rate is including octroi, royalty, Makhan, toll tax, sale tax or any type of taxes imposed by the Government.	1.00	4,99,995.00	Rupees Four Lakh Ninety Nine Thousand Nine Hundred Ninety Five Only	Per Job	4,99,995.00
					Total	4,99,995.00

  
Executive Engineer,  
Mandi Division No-II,  
HP PWD. Mandi.

**Percentage Rate Schedule of Quantity**

**Name of work :-** Geo-technical investigation for Landslide Mitigation work for recurring land slide at Bari Gumanu on Ganpati Kun Ka Tar road at RD. 2/740. (SH:- Carrying out geo-technical investigation of proposed site for bearing test of soil etc.)

Estimated Cost Rs. 2,80,000/-  
Earnest Money Rs. 5600/-  
Time :- One Month.

Sr. No.	Description of items.	Qty.	Rates in:		Unit.	Amount.
			Figure.	Words.		
1	Carryout planning and Monitoring geo-technical investigation and sub surface exploration at the proposed location of the bridge by drilling bore hole as per IS 2800-1979 using percussion/Catix/RC ODEX/method required for dirilling in collapsible strata conglomerate boulders, pebbles, sand, braval, silt clay etc. including cost of attachments extractable casing consumable stores, bits water, PCL, gravel pack in annular apace etc. complete in all respect including preparing bore logs, preservation of samples collected, proposing founding level and safe bearing capacity at proposed founding level based on the geotechnical investigations carried out within all leads and lifts of materials and as per direction of Engineer-in-charge.	1.00	2,80,000.00 Eighty Thousand Only	Rupees Two Lakh	Per Job	2,80,000.00
					Total	2,80,000.00

  
Executive Engineer,  
Mandi Division No-II,  
HP PWD Mandi.

Name of work :- Improvement of black spot on Chandigarh Mandi Manali road NH-21 (New NH-3).  
 (SH:- Maintenance and Erection of overhead signage at ITI Chowk Mandi).

### %age Rate of SCHEDULE OF QUANTITY

Estimated Cost Rs. 4,95,000/-  
 Earnest Money Rs. 10000/-  
 Time :- One month.

Sr.	Description of items.	Quantity	Rates		Unit	Amount
			Figure	Words		
1	2	3	4	5	6	7
1	Manufacturing and Erection of overhead Signage system of Cantiliver shape made of 305 NB dia MS circular Hallow section with clear height of 6m (six metre) from the bottom of top section made of 48NB (M) and 25 NB(M) circullar hallow section jointed with 2 nos of 80cmX80cm (eighty centimetre into eighty centimetre) of 8mm (eight millimetre) thickness MS plate fasten with 8 nos fastetner of 25mm (twenty five millimetre) dia and base plate of 90cmx90cm (ninety centimetre into ninety centimetre) of 10mm (ten millimetre) supported by stiffner of 4 nos, 8mm (eight millimetre) thickness and retro reflective Signage on both side with size of 6mX1.20m (six metre into one point two zero metre) in type IX retro reflective sheeting over the Aluminium Composit pannel sheet with thickness of 3mm (three millimetre) supported on angle frame 35x34x4mm (thirty five into thirty four into four millimetres) on top section in desire shade of Engineer-in-charge erected at side on padestel of CC 1:2:4 (one cement : two sand : four aggregate) with 12 Nos of foundation bolt of 25mm (twenty five millimetre) dia. of as per IRC specification with	1.00	495000.00	Rupees Four Lakh Ninety Five Thousand Only	Nos.	4,95,000.00
					Total	4,95,000.00

  
 Executive Engineer,  
 Mandi Division No-II,  
 HP. PWD, Mandi.

**Percentage Rate of SCHEDULE OF QUANTITY**

Name of work :- Improvement of black spot on Chandigarh Mandi Manali road NH-21 (New NH-3).  
(S.R.: Maintenance and Erection of overhead signage at Mangwala Chowk).

Estimated Cost Rs. 4,95,000/-  
Earnest Money Rs. 10000/-  
Time :- One month.

Sl.	Description of items.	Quantity	Rates		Unit	Amount	
			Figure	Words			
			3	4	5	6	7
1	Manufacturing and Erection of overhead Signage system of Cantilever shape made of 305 NB dia MS circular Hallow section with clear height of 6m (six metre) from the bottom of top section made of 4SNB (M) and 25 NB(M) circular hallow section jointed with 2 nos of 80cmX80cm (eighty centimetre into eighty centimetre) of 8mm (eight millimetre) thickness MS plate fasten with 8 nos fastener of 25mm (twenty five millimetre) dia and base plate of 90cmx90cm (ninety centimetre into ninety centimetre) dia supported by stiffner of 4 nos, 8mm (eight millimetre) thickness and retro reflective Signage on both side with size of 6mX1.20m (six metre into one point two zero metre) in type IX retro reflective sheeting over the Aluminium Composit panel sheet with thickness of 3mm (three millimetre) supported on angle frame 35x34x4mm (thirty five into thirty four into four millimetre) on top section in desire shade of Engineer-in-charge erected at side on padestal of CC 1:2:4 (one cement : two sand : four aggregate) with 12 Nos of foundation bolt of 25mm (twenty five millimetre) dia. of as per IRC specification with	1.00	495000.00 Rupees Four Lakh Ninety Five Thousand Only	Nos.	4,95,000.00		

  
Executive Engineer,  
Mandi Division No-II,  
HP, PWD, Mandi.