

**Himachal Pradesh
Public works Department
Notice inviting Tender**

Sealed percentage rate tenders on form 6 & 8 are invited by the Executive Engineer, Gohar Division, H.P.PWD Gohar for the following works from the approved and eligible contractors enlisted in H.P.PWD so as to reach in his office on or before **29-11-2025 up to 11.00 A.M.** and will be opened on the same day at 11.30 A.M. in the presence of intending contractors or their authorized representatives. The D.N.I.T. tender documents can be had from this office against cash payment (Non-refundable) up to 5.00 P.M. on **28-11-2025**. The applications for issue of tender forms will be received **up to 2.00 P.M. on 27-11-2025**.

The earnest money in the shape of National Saving Certificate/ Time deposit accounts/Saving account/F.D. Rs. in any of the Post Office/Nationalized Banks in Himachal Pradesh duly pledged in favour of the Executive Engineer must accompany the request for issue of tender form for each work. Conditional tenders and the tenders received without earnest money will summarily be rejected. The Executive Engineer reserves the right to reject the tenders without assigning any reason. It is further added that the rates be quoted both in words and figures for proper checking to avoid any complications. If the date of opening will be holiday, the tenders will be opened on the next working day at the same time.

| Sr. No. | Name of road/work | Estimate d Cost | Earnest Money | Time limit |
|---------|---|-----------------|---------------|------------|
| 1 | RRD on Link road to Sainj Km. 0/00 to 2/00(SH:- C/o PCC R/wall at RD 1/105 to 1/120) | 4,42,222 | 8900 | Two Months |
| 2 | RRD on Dhanotu Rohangaloo road 0/000 to 32/400 (SH:- C/o PCC R/wall at RD 7/945 to 7/955) | 188955 | 38000 | Two Month |
| 3 | RRD on Dhanotu Rohangaloo road 0/000 to 32/400 (SH:- C/o PCC R/wall at RD 7/365 to 7/370) | 98909 | 2000 | Two Month |
| 4 | RRD on Chambi to Kangar road Km. 0/00 to 5/500 (SH:- C/o PCC R/wall at RD 5/415 to 5/417.30) | 99026 | 2000 | Two Month |
| 5 | RRD on Maloh Kateru road km. 6/00 to 14/250(SH:- Repair of pot holes in km. 10/00 to 12/00) | 4,98,486 | 10000 | Two Month |
| 6 | RRD on Maloh Kateru road km. 6/00 to 14/250(SH:- Repair of pot holes in km. 8/00 to 10/00) | 4,99,151 | 10000 | Two Month |
| 7 | RRD on Dhanotu to Rohangaloo road km. 0/00 to 32/400 (SH:- C/o of 900mm dia Hume pipe Culvert with both side wing wall at RD 15/525 & Repair of 900 Hume pipe Culvert with both side wing wall at RD 14/120) Under PDNA | 3,59,878 | 7200 | Two Months |

Certified that tender of above works are being called for emergent nature in exigency of public interest.

GENERAL CONDITIONS:-

1. The Contractors are required to submit the valid Enlistment/GST registration and latest ITR alongwith application form.

2. The Contractors should quote the percentage rates in the tenders both in figures and words.
3. The tender forms will not be issued to those contractors whose performance is not found satisfactory.
4. An undertaking will have to be given by the contractor that he has not more than two works in hand at the time of opening of this tender.
5. Contractors will have to submit appropriate Earnest Money in the shape of F.D.R along with the application form for getting issued the tender forms. Applications with out EMD shall be summarily rejected.
6. As per Govt. Notification No.PBW(B)A(3)1/2020-I dated 07-10-2021 the tenders above 5% of estimated cost will be summarily rejected. The tender offered below 30 % will also be accepted as per the office letter No. Engineer-in-Chief office letter No. PW-CTR/32-20/Genl Inst. CPWD-2020-37996-38096 dated 13.03.2023 and further ex- post-facto approval has been granted by the Principal Secretary (PW) to the Govt. of H.P. letter No. PBW (B) A(3)1/2020-I dated 10.05.2023. Beside this the additional performance security will have to borne by the bidders as per the said notifications.
7. Conditional and incomplete tenders shall be rejected.
8. The Executive Engineer reserves the right to accept or reject the tender without any reason.

Executive Engineer,
Gohar Division (B&R),
HPPWD Gohar.

Dated - 19/11/2025

No. PW-GHR-Tender/NIT/2025-6775-84

Copy along with Tender inviting Notice forwarded for information:-

1. The Deputy Commissioner, Mandi H.P.
2. The Engineer-in-Chief HP.PWD.Shimla.
1. The Superintending Engineer 1stCircle, HP.PWD Mandi.
2. The Executive Engineer (IT Cell) O/O Engineer-in-Chief, HPPWD Nirman Bhawan, Nigam Vihar, Shimla-2 for uploading the NIT on departmental website please.
3. The Sub- Divisional Officer (Civil) Chachiot at Gohar.
4. The Block Development Officer Gohar.
5. The Assistant Engineer HPPWD Sub- Division Gohar/Dhanotu.
6. Various contractors.
7. Notice Board/DB/AB.

Executive Engineer,
Gohar Division (B&R),
HPPWD, Gohar.

BILL OF QUANTITY


Name of Work:- RRD on Link road to Sainj km. 0/00 to 2/00 (SH:- C/o PCC R/wall at RD. 1/105 to 1/120) . Under PDNA

Estimated cost Rs. - 42222.00

Earnest Money cost Rs. -8900.00

Time - Two Month

| Sl. No. | Description of work | No.or Qty. | Unit | Estimated Rate (in. Rs.) | Total amount with all taxes including GST in Rs. P | Total amount with all taxes including GST in words |
|----------------------------------|--|------------|-----------------|--------------------------|--|--|
| 1 | Earth work in excavation for structure as per drawing and technical specification clause 305.1 i/c setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material ordinary soil including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. | 45.45 | Per Cubic metre | 230.00 | | |
| 2 | Providing and Laying concrete for plain/reinforced concrete in open foundations P.C.C nominal mix 1:5:10 (one cement :five sand : ten graded stone aggregate 40 mm fourty millimetre aggregates) complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including carriage of materials within all leads and lifts as per direction of Engineer-in-Charge. | 94.41 | Per cubic metre | 4350.20 | | |
| 3 | Back filling behind abutment wing wall and retaining wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. | 12.08 | Per cubic metre | 1050.60 | | |
| 4 | Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 with in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. | 22.00 | Each | 380.70 | | |
| Total | | | | | | |
| Percentage rate Quoted in figure | | | | | | |
| Percentage rate Quoted in words | | | | | | |


 Executive Engineer
 Gohar Division (B&R)
 HP PWD Gohar

BILL OF QUANTITY

Name of work :- RRD on Dhanotu to Rohangaloo road km 0/000 to 32/400 (SI:- Construction of PCC R/Wall at RD 7/945 to 7/955) Under PDNA


Estimated cost Rs. - 1,88,955/-

Earnest Money cost Rs.3800/-

Time - Two Month

| SR. No. | Description of work | No.or Qty. | Unit | Estimated Rate (in. Rs.) | Total amount with all taxes including GST in Rs. P | Total amount with all taxes including GST in words |
|---|---|------------|-----------------|--------------------------|--|--|
| 1 | Earth work in excavation for structure as per drawing and technical specification clause 305.1 i/c setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material ordinary soil including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. | 13.20 | Per Cubic meter | 230.00 | | |
| 2 | Providing and laying cement concrete 1:5:10 (one cement : five sand ten graded crushed stone aggregate) 40mm (forty millimeter) size for plain / reinforced concrete in open foundation complete as per drawings and technical specification clause 802,803,1202 & 1203 within all leads , lifts and carriage of materials and other incidentals .as per direction of Engineer -in -Charge completer in all respect. | 38.50 | Per Cubic meter | 4350.20 | | |
| 3 | Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material within all leads , lifts and carriage of materials and other incidentals .as per direction of Engineer -in -Charge completer in all respect. | 13.20 | Per Cubic meter | 1050.60 | | |
| 4 | Providing weep hole in brick masonry / stone masonry /plain reinforced concrete abutment wing wall return wall with 100 mm (one hundred millimetre) dia PVC pipe extended through the full width of the structures with slope of 1 (v) :20 (H) towards drawing face complete as per drawing and technical specification clause 614,709& 1204.3.7 with in all leads, lifts and other incidentals as per direction of Engineer -in -Charge complete in all respect. | 12.00 | Each | 380.70 | | |
| Total:- | | | | | | |
| Percentage rate Quoted in figure | | | | | | |
| Percentage rate Quoted in words | | | | | | |

28


 Executive Engineer
 Gohar Division (B&R)
 HP PWD Gohar

BILL OF QUANTITY

Line of work :- RRD on Dhanotu to Rohangaloo road km 0/000 to 32/400 (SH:- Construction of PCC R/Wall at D 7/365 to 7/370) Under PDNA


Estimated cost Rs. - 98,909/-

Earnest Money cost Rs.2,000/-

Time - Two Month

| SR. No. | Description of work | No.or Qty. | Unit | Estimated Rate (in. Rs.) | Total amount with all taxes including GST in Rs. P | Total amount with all taxes including GST in words |
|----------------------------------|---|------------|-----------------|--------------------------|--|--|
| 1 | Earth work in excavation for structure as per drawing and technical specification clause 305.1 i/c setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material ordinary soil including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. | 7.00 | Per Cubic meter | 230.00 | | |
| 2 | Providing and laying cement concrete 1:5:10 (one cement : five sand ten graded crashed stone aggregate) 40mm (forty millimeter) size for plain / reinforced concrete in open foundation complete as per drawings and technical specification clause 802,803,1202 & 1203 within all leads , lifts and carriage of materials and other incidentals .as per direction of Engineer -in -Charge completer in all respect. | 20.80 | Per Cubic meter | 4350.20 | | |
| 3 | Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material within all leads , lifts and carriage of materials and other incidentals .as per direction of Engineer -in -Charge completer in all respect. | 3.95 | Per Cubic meter | 1050.60 | | |
| 4 | Providing weep hole in brick masonry / stone masonry /plain reinforced concrete abutment wing wall return wall with 100 mm (one hundred millimetre) dia PVC pipe extended through the full width of the structures with slope of 1 (v) :20 (H) towards drawing face complete as per drawing and technical specification clause 614,709& 1204.3.7 with in all leads, lifts and other incidentals as per direction of Engineer -in -Charge completer in all respect. | 7.00 | Each | 380.70 | | |
| Total:- | | | | | | |
| Percentage rate Quoted in figure | | | | | | |
| Percentage rate Quoted in words | | | | | | |

(80)


 Executive Engineer
 Gohar Division (B&R)
 HP PWD Gohar

BILL OF QUANTITY

of work :- RRD on Chambi to Kangar road km 0/000 to 5/500 (SH:- Construction of PCC R/Wall at RD 5/415/5/417.30) Under PDNA


Estimated cost Rs. - 99,026/-

Earnest Money cost Rs.2,000/-


Time - Two Month

| SR. No. | Description of work | No.or Qty. | Unit | Estimated Rate (in. Rs.) | Total amount with all taxes including GST in Rs. P | Total amount with all taxes including GST in words |
|----------------------------------|---|------------|-----------------|--------------------------|--|--|
| 1 | Earth work in excavation for structure as per drawing and technical specification clause 305.1 i/c setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material ordinary soil including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. | 11.25 | Per Cubic meter | 230.00 | | |
| 2 | Providing and laying cement concrete 1:5:10 (one cement : five sand ten graded crashed stone aggregate) 40mm (forty millimeter) size for plain / reinforced concrete in open foundation complete as per drawings and technical specification clause 802,803,1202 & 1203 within all leads , lifts and carriage of materials and other incidentals as per direction of Engineer -in -Charge completer in all respect. | 21.28 | Per Cubic meter | 4350.20 | | |
| 3 | Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material within all leads , lifts and carriage of materials and other incidentals .as per direction of Engineer -in -Charge completer in all respect. | 2.23 | Per Cubic meter | 1050.60 | | |
| 4 | Providing weep hole in brick masonry / stone masonry /plain reinforced concrete abutment wing wall return wall with 100 mm (one hundred millimetre) dia PVC pipe extended through the full width of the structures with slope of 1 (v) :20 (H) towards drawing face complete as per drawing and technical specification clause 614,709& 1204.3.7 with in all leads, lifts and other incidentals as per direction of Engineer -in -Charge complete in all respect. | 4.00 | Each | 380.70 | | |
| Total:- | | | | | | |
| Percentage rate Quoted in figure | | | | | | |
| Percentage rate Quoted in words | | | | | | |

91


 Executive Engineer
 Gohar Division (B&R)
 HPPWD Gohar

| Name of work :- RRD on Maloh Kateru road km 6/00 to 14/250 (SI:-Repair of pot holes in km 10/00 to 12/00) Under PDNA | | | | | | |
|--|---|------------|------------------|--------------------------|--|--|
| BILL OF QUANTITY | | | | | | Estimated cost Rs. - 4,98,486/- |
| | | | | | | Earnest Money cost Rs.,10,000/- |
| | | | | | | Time - Two Month |
| SR. No. | Description of work | No.or Qty. | Unit | Estimated Rate (in. Rs.) | Total amount with all taxes including GST in Rs. P | Total amount with all taxes including GST in words |
| 1.00 | Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, stone screening/binding materials to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405 (By manual means) including all leads, lifts of material and other incidentals as per direction of Engineer -in -Charge complete in all respect. | 6.56 | per Cubic metre | 2,550.10 | | |
| 2.00 | Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503 with in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-charge. | 1546.57 | per Square metre | 21.15 | | |
| 3.00 | Providing, laying and rolling of open-graded premix carpet of 20 mm (twenty millimetre) thickness composed of 13.2 mm to 5.6 mm aggregates either using penetration grade bitumen or emulsion to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 80-100 kN static roller capacity, finished to required level and grades to be followed by seal coat of either Type B as per Technical Specification Clause 508 with in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. | 1546.57 | per Square metre | 210.15 | | |
| 4.00 | Providing and laying seal coat sealing the void in a bituminous surface laid to the specified levels grade and cross fall using type B as per Technical Specification Clause 510 by Mechanical Means bitumen (S-90/ VG-10) as per direction and entire satisfaction of Engineer -in- Charge with in all leads, lifts and carriage of materials and other incidentals | 1546.57 | per Square metre | 80.20 | | |
| Total:- | | | | | | |
| Percentage rate Quoted in figure | | | | | | |
| Percentage rate Quoted in words | | | | | | |


 Executive Engineer
 Gohar Division
 H.P.P.W.D. Gohar

15/2/2026

DNIT NO FOR THE YEAR 2025-26

BILL OF QUANTITY

Name of work :- RRD on Maloh Kateru road km 6/00 to 14/250 (SH:-Repair of pot holes in km 8/00 to 10/00) Under PDNA

Estimated cost Rs. - 4,99,151/-
 Earnest Money cost Rs.,10,000/-
 Time - Two Month

| SR. No. | Description of work | No.or Qty. | Unit | Estimated Rate (in. Rs.) | Total amount with all taxes including GST in Rs. P | Total amount with all taxes including GST in words |
|---|--|------------|------------------|--------------------------|--|--|
| 1.00 | Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, stone screening/binding materials to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405. (By manual means) including all leads, lifts of material and other incidentals as per direction of Engineer -in -Charge complete in all respect. | 7.20 | per Cubic metre | 2,550.10 | | |
| 2.00 | Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503. with in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-charge | 1543.47 | per Square metre | 21.15 | | |
| 3.00 | Providing, laying and rolling of open-graded premix carpet of 20 mm (twenty millimetre) thickness composed of 13.2 mm to 5.6 mm aggregates either using penetration grade bitumen or emulsion to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 80-100 kN static roller capacity, finished to required level and grades to be followed by seal coat of either Type B as per Technical Specification Clause 508. with in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. | 1543.47 | per Square metre | 210.15 | | |
| 4.00 | Providing and laying seal coat sealing the void in a bituminous surface laid to the specified levels grade and cross fall using type B as per Technical Specification Clause 510 by Mechanical Means bitumen (S-90/ VG-10) as per direction and entire satisfaction of Engineer -in- Charge with in all leads lifts and carriage of materials and other incidentals | 1543.47 | per Square metre | 80.20 | | |
| Total:- | | | | | | |
| Percentage rate Quoted in figure | | | | | | |
| Percentage rate Quoted in words | | | | | | |

B. Saini
 Executive Engineer
 Gohar Division
 H.P.F.W.D. Gohar

| Name of work :- RRD on Dhanotu to Rohangaloo road km 0/00 to 32/400 (SI:- Construction of 900mm dia Hume pipe Culvert with both side wing wall at RD 15/525 & Repair of 900 mm Hume pipe Culvert with both side wing wall at RD 14/120) Under PDNA | | | | | | |
|--|---|------------|-------------------|--------------------------|--|--|
| BILL OF QUANTITY | | | | | | |
| SR. No. | Description of work | No.or Qty. | Unit | Estimated Rate (in. Rs.) | Estimated cost Rs. - 3,59,878/- | |
| | | | | | Earnest Money cost Rs. 7200/- | |
| | | | | | Time - Two Month | |
| | | | | | Total amount with all taxes including GST in Rs. P | Total amount with all taxes including GST in words |
| 1 | Earth work in excavation for structure as per drawing and technical specification clause 305.1 i/c setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material ordinary soil including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. | 60.80 | Per Cubic meter | 230.00 | | |
| 2 | Providing and Laying concrete 1:4:8 (one cement : four sand : eight graded crushed stone aggregate 40mm (forty millimeter) nominal size for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 within all leads, lifts and carriage of materials and other incidentals as directed by Engineer-in charge. | 24.20 | Per Cubic meter | 4820.10 | | |
| 3 | Providing and laying cement concrete 1:5:10 (one cement : five sand ten graded crushed stone aggregate) 40mm (forty millimeter) size for plain / reinforced concrete in open foundation complete as per drawings and technical specification clause 802,803,1202 & 1203 within all leads, lifts and carriage of materials and other incidentals as per direction of Engineer-in -Charge complete in all respect. | 42.98 | Per Cubic meter | 4350.20 | | |
| 4 | Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete 900 mm dia. R.C.C. pipe as per direction of Engineer-in -Charge complete in all respect. | 7.50 | Per Running meter | 3960.20 | | |
| 5 | Back filling behind abutment, wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material within all leads, lifts and carriage of materials and other incidentals as per direction of Engineer-in -Charge complete in all respect. | 7.62 | Per Cubic meter | 1050.60 | | |
| 6 | Providing weep hole in brick masonry / stone masonry /plain reinforced concrete abutment wing wall return wall with 100 mm (one hundred millimetre) dia PVC pipe extended through the full width of the structures with slope of 1 (v) :20 (H) towards drawing face complete as per drawing and technical specification clause 614.709& 1204.3.7 with in all leads, lifts and other incidentals as per direction of Engineer-in -Charge complete in all respect. | 12.00 | Each | 380.70 | | |
| Total:- | | | | | | |
| Percentage rate Quoted in figure | | | | | | |
| Percentage rate Quoted in words | | | | | | |